

**A
PROJECT
ON
“Life Saver”**

**Submitted to
Rashtrasant Tukadoji Maharaj Nagpur University,
NAGPUR
In the Partial Fulfillment of
B.Com. (Computer Application) Final Year**

**Submitted by
Prathamesh Milind Durge
Ritik vijay Barde**

**Under the Guidance of
Pravin J. Yadao**



**G. S. College of Commerce & Economics
Nagpur
2019-2020**

G. S. COLLEGE OF COMMERCE & ECONOMICS

NAGPUR

CERTIFICATE

(2019 - 2020)

This is to certify that Mr. Prathamesh Milind Durge & Ritik Vijay Barde has completed their project on the topic of “LIFE SAVER” prescribed by the Rashtrasant Tukadoji Maharaj Nagpur University for B.Com. (Computer Application) - III course in G. S. College of Commerce & Economics, Nagpur.

Date:

Place: Nagpur

Pravin J. Yadao

Project Guide

External Examiner

Internal Examiner

ACKNOWLEDGEMENT

We take this opportunity to express our deep gratitude and whole hearted thanks to project guide Prof. Pravin Yadao, Coordinator for his guidance throughout this work. We are very much thankful to him for his constant encouragement, support and kindness. We are also grateful to our teachers Prof. Rahul Tiwari, Prof. Sushma Gawande, Prof. Preeti Rangari, Prof. Prajkta Deshpande and Prof. Haresh Naringe for their encouragement, help and support from time to time. We also wish to express our sincere thanks to Principal Dr. N. Y. Khandait for providing us wide range of opportunities, facilities and inspiration to gather professional knowledge and material without which this project could not have been completed.

Prathamesh Milind Durge

Ritik Vijay Barde

Date:

Place: Nagpur

DECLARATION

We **Prathamesh Milind Durge & Ritik Vijay Barde** hereby honestly declare that the work entitled “**LIFE SAVER**” submitted by us at G.S. College of Commerce & Economics, Nagpur in partial fulfillment of requirement for the award of B.Com. (Computer Application) degree by Rashtrasant Tukadoji Maharaj, Nagpur University, Nagpur has not been submitted elsewhere for the award of any degree, during the academic session 2019-2020. The project has been developed and completed by us independently under the supervision of the subject teacher and project guide.

Prathamesh Milind Durge


Ritik Vijay Barde

Date:

Place: Nagpur

INDEX

Sr.No	Particulars	Page No.	Sign	Remark
1.	Introduction	1		
2.	Objectives	4		
3.	Preliminary System Analysis 3.1 Preliminary Investigation 3.2 Present System in Use 3.3 Flaws in Present System 3.4 Need for New System 3.5 Feasibility Study 3.6 Project Category	7		
4.	Software & Hardware Requirement Specification	21		
5.	Detailed System Design 5.1 Data Flow Diagram 5.2 Structure of website	23		
6.	System Design 6.1 Source Code 6.2 Input Screen & Output Screen	26		
7.	Testing & Validation Checks	121		
8.	System Security Measures	128		
9.	Implementation, Evaluation and Maintenance	130		
10	Future Scope of Project	134		
11	Suggestion & Conclusion	136		
12	Bibliography & References	138		



INTRODUCTION

Organ donation is the process of surgically removing an organ or tissue from one person (the organ donor) and placing it into another person (the recipient). Transplantation is necessary because the recipient's organ has failed or has been damaged by disease or injury. Organ transplantation is one of the great advances in modern medicine. Unfortunately, the need for organ donors is much greater than the number of people who actually donate.

Organs and tissues that can be transplanted include:

- | | |
|----------------|-------------------|
| ▪ Liver | Kidney |
| ▪ Pancreas | Heart |
| ▪ Lung | Intestine |
| ▪ Cornea | Bone |
| ▪ Skin | Bone marrow |
| ▪ Heart valves | Connective tissue |

The efforts of an NGO called MOHAN Foundation state of Tamil Nadu started an organ sharing network between a few hospitals. This NGO also set up similar sharing network in the state of Andhra Pradesh and these two states were at the forefront of deceased donation and transplantation programme for many years. As a result, retrieval of 1033 organs and tissues were facilitated in these two states by the NGO. Similar sharing networks came up in the states of Maharashtra and Karnataka; however, the numbers of deceased donation happening in these states were not sufficient to make much impact. In 2008, the Government of Tamil Nadu put together government orders laying

down procedures and guidelines for deceased organ donation and transplantation in the state

“ Life Saver ” gives you an information about the various hospitals which are available for donating organs such as kidney , liver , heart etc. Website provides various organ donation centers according to the different states of our country . Hospitals of each state contains information such as name , address , timing , contact details etc. You can directly check the location of hospital by clicking on map provided for each hospital , a person can also checkout the website of hospital by clicking on link given for each hospital.

The unique QR Code has been generated so that people can easily access website on smartphones as well. The section in the website clears all queries regarding donating organ. Events section in the website provides information about all the event taking place in the different states and region. Through Feedback page user give their feedback regarding website or submit their queries regarding website.

Information of Blood Bank Centers from different states are also being provided in website . Name of Blood Bank center , address and contact details are provides, exact location is also provided by using Google Maps. The main of designing website is to create awareness amongst people and provide accurate information at the time of emergency as people as loosing the life because of inadequate information or not knowing exact address of hospitals.

OBJECTIVES

- **Create awareness :-**

The main aim of website is to create awareness for donating organs. As large number of India and all world are not concerned of donating organs.

- **Remove myths and facts :-**

Website also helps to clear myths and facts in the minds of people related to donating organs .

- **Provide accurate information :-**

Through website user can gather accurate information of organ donation center . As it provides donation centers of various states in India.

- **Extend large number of users :-**

As website provides information of donation centers of various states of India. It will automatically reach to the large number of person who are willing to donate organs .

- **Provides latest news and updates :-**

A website contains news and events section which provides accurate news and events taking place in various cities in India.

- **To promote blood donation :-**

As it also contains information of various blood donation centers in India ,it also promotes blood donation .

- **Time saving :-**

It contains all the information related to organ donation such as donation center , accurate address of centers , registration links of hospital it saves time of user.

PRELIMINARY SYSTEM ANALYSIS

- **PRELIMINARY INVESTIGATION**

The initial step in the system development cycle is identification of a need. This is a user's request to change, improve or enhance an existing system.

While developing a website we explored various websites but in all website more of a websites are informational rather than it contains information about the donation centers , as a lot of people search for hospitals rather than information.

- **PRESENT SYSTEM IN USE :-**

Present system comprises all the information related to organ donation center such as hospital name, address, timings, official website of hospital, and navigation link of hospital. Current system also contains information about the organs, FAQs, events, videos ad articles. It also contains blood donation and blood bank centers where people can donate blood, QR code is also given for the people which are convenient is operation website on phones.

- **FLAWS IN PESENT SYSTEM :-**

Present system has various limitations such as it only contains organ donation centers of popular cities of India and it covers only limited number organ donation centers. Present system is not compatible for global use as it covers hospitals of only popular cities of India. A user cannot share link of a website directly

through mail etc. A present system is less informative as more emphasis is given on donation centers rather than information.

- **NEED FOR NEW SYSTEM :-**

A current system is not compatible because of slow functioning of current system and with new system it will work much more efficiently to operate a website.

With new system we can also increase security of system , we can store large amount of data using new system.

FEASIBILITY STUDY :-

Introduction

A feasibility study is an analysis that takes all of a project's relevant factors into account—including economic, technical, legal, and scheduling considerations—to ascertain the likelihood of completing the project successfully. Project managers use feasibility studies to discern the pros and cons of undertaking a project before they invest a lot of time and money into it. Feasibility studies reflect a project's unique goals and needs, so each is different.

- **TECHNICAL FEASIBILITY :-**

Technical feasibility center around the exisiting computer system hardware , software etc. and to what exent it can support the proposed addition. For Example , if the the current computer is operating at 80 percent capacity and arbitrary celing then running another application could overload the system or require addition hardware. This involves financial consideration to accomodation technical enhancement . If the budget is a serious constraint, then the project is judged not feasible.

- **ECONOMIC FEASIBILITY :-**

Economic analysis is the most frequently used method for evaluating the effectiveness of a candidate system. More commonly kown as cost benefit analysis , the procedure is to determine the benefit and saving that are expected from a

candidate system and compare is to determine the benefit and saving that are expected from a candidate system and compare then with cost. If benefits outweigh costs, further justification or alteration in the proposed system will have to be made if it is to have a chance of being approved. This is an ongoing effort that improves in accuracy at each phase of the system life cycle.

- **BEHAVIORAL FEASIBILITY :-**

People are inherently resistant to change and computers have been known to facilitate change. An estimate should be made of how strong a reaction the user staff is likely to have toward the development of a computerized system. It is common knowledge that computer installation have something to do with turnover , transfer , retraining , and change in employee job status.

- **OPERATIONAL FEASIBILITY**

Operational feasibility ascertains how well the implementation of a project fits in with the current organizational business structure. The solutions to a current problem must come as close as possible to a perfect fit with the organizational structure and be able to be applied to solve other arising problems. The opportunities that come along the way during the solution implementation must be able to be harnessed for even easier implementation.

PROJECT CATEGORY

PROJECT CATEGORY

A category of a project is website named “Life Saver”. A web pages are designed using HTML, CSS, JavaScript. From a homepage various pages are linked containing different information. A web pages gives an complete information to customer related organ donation and blood donation.

PROGRAMMING LANGUAGE USED IN PROJECT :-

❖ PHP: PERSONAL HOME PAGE

- PHP is a popular general-purpose scripting language that is especially suited to web development^[5]. It was originally created by Rasmus Lerdorf in 1994, the PHP reference implementation is now produced by The PHP Group.^[7] PHP originally stood for Personal Home Page,^[6] but it now stands for the recursive initialism PHP: Hypertext Pre-processor.
- PHP code may be executed with a command line interface (CLI), embedded into HTML code, or used in combination with various web template systems, web content management systems, and web frameworks. PHP code is usually processed by a PHP interpreter implemented as a module in a web server or as a Common Gateway Interface (CGI) executable. The web server

outputs the results of the interpreted and executed PHP code, which may be any type of data, such as generated HTML code or binary image data. PHP can be used for many programming tasks outside of the web context, such as standalone graphical applications and robotic drone control.

❖ HTML :- HYPERTEXT MARKUP LANGUAGE

- Hypertext Markup Language (HTML) is the standard markup language for documents designed to be displayed in a web browser. It can be assisted by technologies such as Cascading Style Sheets (CSS) and scripting languages such as JavaScript.
- Web browsers receive HTML documents from a web server or from local storage and render the documents into multimedia web pages. HTML describes the structure of a web page semantically and originally included cues for the appearance of the document.
- HTML elements are the building blocks of HTML pages. With HTML constructs, images and other objects such as interactive forms may be embedded into the rendered page. HTML provides a means to create structured documents by denoting structural semantics for text such as headings, paragraphs, lists, links, quotes and other items. HTML elements are

delineated by tags, written using angle brackets. Tags such as `` and `<input />` directly introduce content into the page. Other tags such as `<p>` surround and provide information about document text and may include other tags as sub-elements. Browsers do not display the HTML tags, but use them to interpret the content of the page.

- HTML can embed programs written in a scripting language such as JavaScript, which affects the behaviour and content of web pages. Inclusion of CSS defines the look and layout of content.

❖ CSS :- CASCADING STYLE SHEETS

- Cascading Style Sheets (CSS) is a style sheet language used for describing the presentation of a document written in a markup language like HTML.^[1] CSS is a cornerstone technology of the World Wide Web, alongside HTML and JavaScript.
- CSS is designed to enable the separation of presentation and content, including layout, colors, and fonts.^[3] This separation can improve content accessibility, provide more flexibility and control in the specification of presentation characteristics, enable multiple web pages to share formatting by specifying the relevant

CSS in a separate .css file, and reduce complexity and repetition in the structural content.

- Separation of formatting and content also makes it feasible to present the same markup page in different styles for different rendering methods, such as on-screen, in print, by voice (via speech-based browser or screen reader), and on Braille-based tactile devices. CSS also has rules for alternate formatting if the content is accessed on a mobile device. The name cascading comes from the specified priority scheme to determine which style rule applies if more than one rule matches a particular element. This cascading priority scheme is predictable. A CSS framework is a library allowing for easier, more standards-compliant web design using the Cascading Style Sheets language. Most of these frameworks contain at least a grid. More functional frameworks also come with more features and additional JavaScript based functions, but are mostly design oriented and focused around interactive UI patterns

❖ BASIC STRUCTURE OF THE WEBSITE :-

❖ TAGS

- **HTML TAG**

The very first thing is the doctype declaration of the document. In this case HTML5. You should always use this. The entire document is placed between the `<HTML>....</HTML>`

- **HEAD TAG**

Marks the start of the part of a HTML document called the head. This section is not visible on the webpage but it carries important information about the document.

- **TITLE TAG**

The page title can be seen in the browser window tab and when you bookmark the site in your favorites. You can put anything you want to in between the title tags. We also see something new here too. The last tag `</title>`, means that the tag title now ends. You can end any tag by putting a backslash (/) after the less than sign.

- **BODY TAG**

The `<body>` element forms the main body of the HTML document . We can use `<BODY>` tag to specify background color and margin of text in HTML tag.

- **SCRIPT TAG**

The `<style>` tag is used to define style information for an HTML document. Inside the `<style>` element you specify how HTML elements should render in a browser. Each HTML document can contain multiple `<style>` tags.

- **LINE BREAK**

Line breaks are different than most of the tags we have seen so far. A line break ends the line you are currently on and resumes on the next line. Placing `
` within the code is the same as pressing the return key in a word processor. Use the `
` tag within the `<p>` (paragraph) tag.

- **HEADING TAG**

HTML defines six levels of headings. A heading element implies all the font changes, paragraph breaks before and after, and any white space necessary to render the heading. The heading elements are H1, H2, H3, H4, H5, and H6 with H1 being the highest (or most important) level and H6 the least.

- **FORM TAG**

The `<form>` tag in HTML is used to create form for user input. There are many elements which are used within form tag. The HTML `<form>` tag is used for creating a form for user input. A form can contain textfields, checkboxes, radio-buttons and more. Forms are used to pass user-data to a specified URL.

- **TABLE TAG**

The HTML tables allow web authors to arrange data like text, images, links, other tables, etc. into rows and columns of cells. The HTML tables are created using the `<table>` tag in which the `<tr>` tag is used to create table rows and `<td>` tag is used to create data cells. The elements under `<td>` are regular and left aligned by default

SOFTWARE AND HARDWARE REQUIREMENT
SPECIFICATION

❖ **HARDWARE :-**

Hardware is being is defined as under it contain how processor speed and how much RAM will be utilized for the better performance of the website .

- RAM :- 4GB
- HARDWARE :- 500GB or More
- INPUT :- Keyboard and Mouse

❖ **SOFTWARE :-**

Computer software, or simply software, is a collection of data or computer instructions that tell the computer how to work. this is in contrast to physical hardware, from which the system is built and actually performs the work.


- Internet Explorer
- Google Chrome
- XAMPP

❖ **OPERATING SYSTEM :-**


- Windows 7
- Windows 10

DETAILED SYSTEM ANALYSIS

❖ DATA FLOW DAIGRAM



▪ STRUCTURE OF WEBSITE



❖ SYSTEM DESIGN

❖ **SOURCE CODE**

• Slider Page:-HTML & CSS Coding

```
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width,initial-scale=1">
    <title>First Page</title>
    <link
                                                                    rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"
integrity="sha384-
Vkoo8x4CGsO3+Hhvx8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifj
h" crossorigin="anonymous">
<style>
body{
    margin:0;
    background-image:url(1.jpg);
}
.header{
    background-color: ;
    padding: 50px;
}
.container{
    display: flex;
    justify-content: center;
    margin-top: 12em;
}
.inner{
    text-align: center;
    color: black;
    overflow: hidden;
    padding: 0.4em;
}
.inner>h1{
    font-size: 3.5em;
    animation: Swipe_up 1.4s ease;
}
.inner>p{
    font-size: 1.2em;
    animation: Swipe_up 2.1s ease;
}
```

```

.inner>button{
    margin-top: 2em;
    padding: 1em 2.5em;
    font-size: 1em;
    border-radius: 4em;
    border:none;
    background:#F25757;
    color:whitesmoke;
    animation: Swipe_up 2.4s ease;
}
@keyframes Swipe_up{
    0%{
        transform: translateY(250px);
    }
    100%{
        transform: translateY(0);
    }
}
</style>
</head>
<body>
    <div class="header">
    </div>
    <div class="container">
    <div class="inner">
    <h1>Welcome To Life Saver</h1>
    <p><b>"Anybody can save lives"</b></p>
    <a href="register.php">
    <button class="btn btn-primary">Sign Up</button>
    </a>
    </div>
    </div>
</body>
</html>

```

- **Registration Page:-HTML Coding**

Registration Validation:-

Coding:-

<!DOCTYPE html>

```

<html>
<head>
    <meta charset="utf-8">
    <title>Registration form</title>
    <link rel="stylesheet" type="text/css" href="stylereg.css">
    <!-- Latest compiled and minified CSS -->
    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css">
    <!-- jQuery library -->
    <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></script>
    <!-- Popper JS -->
    <script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.js"
></script>
    <!-- Latest compiled JavaScript -->
    <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"></sc
ript>
</head>
<body>
    <form action="register1.php" method="POST" onsubmit="return
validation()">
        <div class="box">
            <h2>Register Here</h2>

            <div class="inputbox">
                <input type="text" name="Name" id="namerr" required>
                <label>Name</label>
                <span id="namess" class="text-danger"></span>
            </div>
            <div class="inputbox">
                <input type="text" name="Email" id="emailrr" required>
                <label>Email</label>
                <span id="emailss" class="text-danger"></span>
            </div>
            <div class="inputbox">

```

[illegible]

```

        return false;
    }
    if(!isNaN(names)){
        document.getElementById('names').innerHTML = "Only
character are allowed";
        return false;
    }
    if(mobiles == ""){
        document.getElementById('mobile11').innerHTML ="Please
fill mobile number";
        return false;
    }
    if(isNaN(mobiles)){
        document.getElementById('mobile11').innerHTML ="user
must write digits";
        return false;
    }
    if(mobiles.length!=10){
        document.getElementById('mobile11').innerHTML ="user
must write 10 digits";
        return false;
    }
    if(emails == ""){
        document.getElementById('emailss').innerHTML = "Please
fill name field";
        return false;
    }
    if (emails.indexOf('@') <= 0 ){
        document.getElementById('emailss').innerHTML = "@
Invalid Position";
        return false;
    }
    if((emails.charAt(emails.length-4)!='.') &&
(emails.charAt(emails.length-3)!='.')){
        document.getElementById('emailss').innerHTML = "
Invalid Position";
        return false;
    }

```

```

    }
}
</script>
</body>
</html>

```

• Registration Page:-CSS Coding

```

body
{
    margin:0;
    padding:0;
    font-family:sans-serif;
    background:url(img/bg.jpg);
    background-size: cover;
}
body b
{
    color:#FFF;
}
body a
{
    color:#0099ff;
}
.box
{
    position:absolute;
    top:50%;
    left:50%;
    transform: translate(-50%,-50%);
    width:400px;
    padding:40px;
    background:rgba(0,0,0,.8);
    box-sizing: border-box;
    box-shadow:0 15px 25px rgba(0,0,0,.5);
    border-radius: 10px;
}
.box h2
{
    margin:0 0 30px;
    padding:0;
    color:#FFF;
}

```

```

        text-align: center;
    }
    .box .inputbox
    {
        position: relative;
    }
    .box .inputbox input
    {
        width: 100%;
        padding: 10px 0;
        font-size: 16px;
        letter-spacing: 1px;
        color: #FFF;
        margin-bottom: 30px;
        border: none;
        border-bottom: 1px solid #FFF;
        outline: none;
        background: transparent;
    }
    .box .inputbox label
    {
        position: absolute;
        left: 0;
        top: 0;
        padding: 10px 0;
        font-size: 16px;
        color: #FFF;
        pointer-events: none;
        transition: .5s;
    }
    .box .inputbox input: focus ~ label,
    .box .inputbox input: valid ~ label
    {
        top: -15px;
        left: 0;
        color: #03a9f4;
        font-size: 12px;
    }
    .box input[type="submit"]
    {

```



```

background:transparent;
border:none;
outline:none;
color:#FFF;
background:#03a9f4;
padding:10px 20px;
cursor: pointer;
border-radius:20px;
}

```

• Registration Page:-Database Coding

```
<?php
```

```

    session_start();
    $con = mysqli_connect('localhost','root');
    if($con){
        header("location:mainpage.html");
    }else{
        echo" no connection";
    }

```

```
mysqli_select_db($con, 'registerdb');
```

```

$name = $_POST['Name'];
$email = $_POST['Email'];
$mobile_no = $_POST['Mobile_no'];
$username = $_POST['Username'];
$password = $_POST['Password'];

```

```
$q = " select * from registertable where Name = '$name' && Email = '$email' && Mobile_no = '$mobile_no' && Username = '$username' && Password = '$password' ";
```

```
$result = mysqli_query($con, $q);
```

```
$num = mysqli_num_rows($result);
```

```

if($num == 1){
    echo" Duplicate data";
}else{
    $qy = " insert into registertable(Name , Email , Mobile_no , Username , Password) values ('$name' , '$email' , '$mobile_no' , '$username' , '$password') ";
}

```

$$\begin{array}{l} \} \\ ? > \end{array}$$

- **Login Page:-HTML Coding**

<html>

- **Login Page:-CSS Coding**

$$\{$$

```

        font-family:sans-serif;
        background:url(img/bg.jpg);
        background-size: cover;
    }
    .box
    {
        position:absolute;
        top:50%;
        left:50%;
        transform: translate(-50%,-50%);
        width:400px;
        padding:40px;
        background:rgba(0,0,0,.8);
        box-sizing: border-box;
        box-shadow:0 15px 25px rgba(0,0,0,.5);
        border-radius: 10px;
    }
    .box h2
    {
        margin:0 0 30px;
        padding:0;
        color:#FFF;
        text-align: center;
    }
    .box .inputbox
    {
        position:relative;
    }
    .box .inputbox input
    {
        width:100%;
        padding:10px 0;
        font-size:16px;
        letter-spacing: 1px;
        color:#FFF;
        margin-bottom: 30px;
        border:none;
        border-bottom:1px solid #FFF;
        outline:none;
        background: transparent;
    }

```

```

}
.box .inputbox label
{
    position:absolute;
    left:0;
    top:0;
    padding:10px 0;
    font-size:16px;
    color:#FFF;
    pointer-events: none;
    transition: .5s;
}
.box .inputbox input:focus ~ label,
.box .inputbox input:valid ~ label
{
    top:-15px;
    left:0;
    color:#03a9f4;
    font-size:12px;
}
.box input[type="submit"]
{
    background:transparent;
    border:none;
    outline:none;
    color:#FFF;
    background:#03a9f4;
    padding:10px 20px;
    cursor: pointer;
    border-radius:20px;
}

```

Login Page:-Database Coding

```
<?php
```

```

    session_start();
$con = mysqli_connect('localhost','root');
if($con){
    header("location:mainpage.html");
}else{
    echo" no connection";
}

```

```

}

mysqli_select_db($con, 'registerdb');

$username = $_POST['Username'];
$password = $_POST['Password'];

$q = " select * from registertable where Username = '$username' && Password = '$password' ";

$result = mysqli_query($con, $q);

$num = mysqli_num_rows($result);

if($num == 1){
    $_SESSION['username'] = $username;
    $_SESSION['password'] = $password;
    header("location:mainpage.html");
}else{
    header("location:login.php");
}
?>

```

• Reset Password page :-

```

<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <title>Reset Password</title>
    <link rel="stylesheet" type="text/css" href="stylelog.css">
</head>
<body>
    <div class="box">
        <h2>Reset Password</h2>
        <div class="inputbox">
            <input type="text" name="Npassword" required>
            <label>Enter new password</label>
        </div>
        <div class="inputbox">
            <input type="text" name="Cpassword" required>
            <label>Confirm Password</label>

```



```

{
padding:25px 5px 7px;
}
</style>
<section id="nav-bar">
<nav class="navbar navbar-expand-lg navbar-light">
<a class="navbar-brand" href="#"></a>
<button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarNav" aria-controls="navbimng-fluidarNav" aria-
expanded="false" aria-label="Toggle navigation">
<span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarNav">
<ul class="navbar-nav">
<li class="nav-item active" style="margin"
Navigation Icon:-
<i class="fa fa-calendar-o" style="font-size: 22px; padding-top:
10px;"></i>
<a class="nav-link" style="font-weight:650" href="event.html">Events</a>
</li>
<li class="nav-item dropdown" >
<i class="fa fa-map-o" style="font-size: 22px; padding-top: 10px;"></i>
<a class="nav-link dropdown-toggle" style="font-weight:650 " href="#"
id="navbarDropdownMenuLink" role="button" data-toggle="dropdown"
aria-haspopup="true" aria-expanded="false">States</a>
<div class="dropdown-menu" aria-
labelledby="navbarDropdownMenuLink">
<a class="dropdown-item" href="state1.html">Maharashtra</a>
<a class="dropdown-item" href="state2.html">West Bengal</a>
<a class="dropdown-item" href="state3.html">Andhra Pradesh</a>
<a class="dropdown-item" href="state4.html">Gujarat</a>
<a class="dropdown-item" href="state5.html">Karnataka</a>
<a class="dropdown-item" href="state6.html">Rajasthan</a>
<a class="dropdown-item" href="state7.html">Assam</a>
<a class="dropdown-item" href="state8.html">Uttar Pradesh</a>
<a class="dropdown-item" href="state9.html">Madhya
Pradesh</a>

```



```

        position: sticky;
        z-index:10;
        height: 125px;
    }
    .navbar-brand img
    {
        top:0;
        left: 0;
        height: 100px;
        width: 110px;
        border-radius: 60px;

    }
    .navbar-nav li
    {
        padding:25px 5px 7px;
    }
    .navbar-nav li a
    {
        float: right;
        text-align: left;
    }
    #nav-bar ul li a:hover
    {
        color: #007bff!important;
    }
    .navbar
    {
        background:#fff;
    }
    .navbar-toggler
    {
        border:none!important;
    }
    .nav-link
    {
        color:#555!important;
        font-weight: 650;
    }

```

```

        font-size: 16px;
    }
    .dropdown-menu
    {
        background-color: #ffffff;
    }
    .dropdown-menu a{
        color:#555!important;
        font-weight: 600;
        font-size: 16px;
    }

```

- **Logout Button:-**

```

<div style="margin-top:-80px;" class="logout">
    <a href="login.php">Logout
        <i class="fa fa-sign-out"></i>
    </a>
</div>
</nav>
</section>

```

- **Slider:-**

```

        <div id="slider">
            <div id="headerSlider" class="carousel slide" data-ride="carousel">
<ol class="carousel-indicators">
    <li data-target="#headerSlider" data-slide-to="0" class="active"></li>
    <li data-target="#headerSlider" data-slide-to="1"></li>
    <li data-target="#headerSlider" data-slide-to="2"></li>
</ol>
<div class="carousel-inner" style="height:330px;">
    <div class="carousel-item active">
        
    </div>
    <div class="carousel-item">
        
    </div>
    <div class="carousel-item">
        
    </div>
    <span class="sr-only">Previous</span>
</a>

```

```

<a class="carousel-control-next" href="#headerSlider" role="button" data-
slide="next">
  <span class="carousel-control-next-icon" aria-hidden="true"></span>
  <span class="sr-only">Next</span>
</a>
</div>
</div>

```

- **Slider:-CSS Coding**

```

/*-----Slider-----*/
.slider
{
    position: absolute;
}

```

- **Introduction:-HTML Coding**

```

<!-------Introduction----->
<div class="Introduction-content">
  <h2><b>Introduction</b></h2>

```

<p>Life Saver is a not-for-profit, non-governmental organization started to promote organs donation in 1997 in Chennai by philanthropists and medical professionals
led by Dr. Sunil Shroff. It is a registered NGO with Income Tax exemption Section
 80G and 35AC and has offices in Chennai,UP, Hyderabad, Delhi-NCR, Chandigarh, Nagpur, Jaipur, Mumbai and USA. It was a started by a group of like-minded and concerned medical & non-medical professionals committed to increasing a reach
 of the Transplantation of Human Organs Act.The Government of India passed this
act in 1994 to broaden in concept of organ donation and stop commercial dealing
in organs,especially kidneys.It is now possible to not only donate one is eyes,heart
but also other vital organs like the heart, lungs, liver, pancreas and kidneys.Then its legislation called the Transplantation of Human Organ Act(THO) was passed in India in 1994 to streamline organ donation and transplantation activities. Broadly, the act accepted brain death as a form of death and made the sale of organs a punishable offence.With the acceptance of brain death,it became possible to

not only undertake kidney transplantations but also start other solid organ transplants like liver, heart, lungs, and pancreas.

- **Introduction:-CSS Coding**

.Introduction-content

```
{
    margin: 0px 350px -290px ;
    color: #555;
}
```

- **Rotating Newsbox:-HTML Coding**

```
<!-------News----->
<link rel="stylesheet" type="text/css" href="image_scroll.css">
<div id="image_iframe_scroll">
<div class="image_scroll-title">
News and Updates<br>
</div>
<iframe name="ImageIFrame" src="image_scroll.html" frameborder="0"
scrolling="no"></iframe>
</div>
```

- **Rotating Newsbox:-CSS Coding**

@import url(https://fonts.googleapis.com/css?family=Droid+Sans:400,700);

```
#image_iframe_scroll {
    width: 100%;
    max-width: 295px;
    min-width: 200px;
    margin: 10px 1050px;
    margin-top: -430px;
    border: #000000 1px solid;
    -moz-box-sizing: border-box;
    -webkit-box-sizing: border-box;
    box-sizing: border-box;
    position: relative;
}
{
    width: 100%;
    height: 400px;
    display: block;
    margin: 0px;
```

```

        padding: 0px;
        overflow: hidden;
    }
.image_scroll-title
    {
        color: #FFFFFFF;
        font: normal 20px "Droid Sans", arial, sans-serif;
        text-align: center;
        background-color: #000000;
        padding: 5px 5px 5px 5px;
        border-bottom: #009966 1px solid;
    }
#NimgDiv { position: absolute; left: 0; top: 0px; width: 100%; }
body.image-scroll {
    background-color: #FFFFFFF;
    margin: 0;
    padding: 10px;
    border: 0;
}
.is-text-if {
    color: #666666;
    font: normal 12px "Droid Sans", arial, sans-serif;
    text-align: left;
    padding: 8px 7px 0px 7px;
}

.is-title-if {
    color: #000000;
    font: bold 15px "Droid Sans", arial, sans-serif;
    text-align: left;
    border-bottom: #666666 0px solid;
}

.image-scroll a:link { color: #0033FF; text-decoration: none; }
.image-scroll a:visited { color: #6633FF; text-decoration: none; }
.image-scroll a:active { color: #0033FF; text-decoration: none; }
.image-scroll a:hover { color: #6699FF; text-decoration: underline; }
.scroll-image {
    display: block;
    max-width: 98%;
    height: auto;

```

```
margin: 0px auto 10px auto;
border: #000000 10px solid;
border-width: 5px 1px 5px 1px;
}
```

• Roatating Videobox:-HTML Coding

```
<!-------Videos----->
<link rel="stylesheet" type="text/css" href="image_scroll_videos.css">
<div id="image_iframe_scroll1">
<div class="image_scroll-title1">
Videos<br>
</div>
<iframe name="ImageIFrame" src="image_scroll_videos.html" frameborder="0"
scrolling="no"></iframe>
</div>
```

• Roatating Videobox:-CSS Coding

```
@import url(https://fonts.googleapis.com/css?family=Droid+Sans:400,700);
#image_iframe_scroll1 {
width: 100%;
max-width: 295px;
min-width: 200px;
margin: 10px 10px;
margin-top: -445px;
border: #000000 1px solid;
-moz-box-sizing: border-box;
-webkit-box-sizing: border-box;
box-sizing: border-box;
position: relative;
}
{
width: 100%;
height: 400px; /* IF YOU EDIT HEIGHT EDIT THE SCROLLING
SCRIPT HEIGHT!!!! */
display: block;
margin: 0px;
padding: 0px;
overflow: hidden;
}
.image_scroll-title1
{
color: #FFFFFFF;
```

```

        font: normal 20px "Droid Sans", arial, sans-serif;
        text-align: center;
        background-color: #000000;
        padding: 5px 5px 5px 5px;
        border-bottom: #009966 1px solid;
    }
#NimgDiv1 { position: absolute; left: 0; top: 0px; width: 100%; }
body.image-scroll1 {
    background-color: #FFFFFF;
    margin: 0;
    padding: 10px;
    border: 0;
}
.is-text-if1 {
    color: #666666;
    font: normal 12px "Droid Sans", arial, sans-serif;
    text-align: left;
    padding: 8px 7px 0px 7px;
}

.is-title-if1 {
    color: #000000;
    font: bold 15px "Droid Sans", arial, sans-serif;
    text-align: left;
    border-bottom: #666666 0px solid;
}

.image-scroll1 a:link{ color: #0033FF; text-decoration: none; }
.image-scroll1 a:visited    { color: #6633FF; text-decoration: none; }
.image-scroll1 a:active     { color: #0033FF; text-decoration: none; }
.image-scroll1 a:hover      { color: #6699FF; text-decoration: underline; }
.scroll-image1 {
    display: block;
    max-width: 98%;
    height: auto;
    margin: 0px auto 10px auto;
    border: #000000 10px solid;
    border-width: 5px 1px 5px 1px;

```

}

• Footer Section:-HTML Coding

```
<section id="footerstyle">
  <link rel="stylesheet" type="text/css" href="footer.css">
  <div style="bottom: 0px;" class="footer">
    <div class="footer-content">
      <div class="footer-section about">
        <h3 class="logo-text">Life Saver</h3>
        <P style="font-family:Georgia;">Life saver was started by a group of like-minded
and concerned medical and non-medical professionals committed to increasing the
reach of the Transplantation of Human Organs Act.</P>
        <div class="contact">
          <span><i class="fa fa-phone"></i> &nbsp; 0712-87645</span><br>
          <span><i class="fa fa-envelope"></i> &nbsp; Lifesaver@hotmail.com</span>
        </div>
        <div class="socials">
          <a href="#"><i class="fa fa-facebook"></i></a>
          <a href="#"><i class="fa fa-instagram"></i></a>
          <a href="#"><i class="fa fa-twitter"></i></a>
          <a href="#"><i class="fa fa-youtube"></i></a>
        </div>
      </div>
      <div class="footer-section links">
        <h3>Quick Links</h3>
        <ul>
          <a style="color:#fff; font-size:15px; text-decoration: none;"
href="#"><li>Events</li></a>
          <a style="color:#fff; font-size:15px;text-decoration: none;"
href="#"><li>Members</li></a>
          <a style="color:#fff; font-size:15px;text-decoration: none;" href="#"><li>Terms
& Conditions</li></a>
          <a style="color:#fff; font-size:15px;text-decoration: none;"
href="Feedback.html"><li>Feedback</li></a>
          <a style="color:#fff; font-size:15px;text-decoration: none;"
href="blooddonation.html"><li>Blood Donation</li></a>
        </ul>
        <br>
      </div>
      <div class="footer-section contact-form">
        <h3>Contact us</h3>
```



```

<br>
<form id="frm" action="contactus.php" method="post">
  <script src="https://unpkg.com/sweetalert/dist/sweetalert.min.js"></script>
  <input type="email" name="email" class="text-input contact-input"
placeholder="Your Email Address.."><br>
  <textarea name="message" class="text-input contact-input" placeholder="Your
Message.."></textarea><br>
  <button onclick="popUp()" id="send" type="submit" class="btn btn-primary"
name="send" value="Send">Send
  </button>
</form>
<script>
  function popUp(){
    alert('Information Submitted');
  }
</script>
</div>
</div>
<div style="font-family:times new roman;" class="footer-bottom">
  &copy; Lifesaver.in | Designed by Ritik Barde & Prathamesh Durge
</div>
</div>

```

• Footer Section:-CSS Coding

```

.footer
{
  background:#303036;
  color:#d3d3d3;
  height:360px;
  position:relative;
}
.footer .footer-bottom
{
  background:#343a40;
  color:#686868;
  height:50px;
  text-align: center;
  position:absolute;
  bottom:0px;
  left:0px;
  padding-top:20px;
}

```

```

        width:100%;

    }
    .footer .footer-content
    {

        height:350px;
        display:flex;

    }
    .footer .footer-content .footer-section
    {

        flex: 1;
        padding:25px;
    }
    .footer .footer-content .about .contact-section span
    {

        display:block;
        font-size:1.1em;
        margin-bottom: 8px;

    }

    .footer .footer-content .about .socials a
    {

        border:1px solid grey;
        width:45px;
        height:41px;
        padding-top:5px;
        margin-right:5px;
        text-align:center;
        display: inline-block;
        font-size:1.3em;
        border-radius:5px;
        background: #fff;
        transition: all .3s;

    }

    .footer .footer-content .about .socials a:hover
    {

```

```

        border: 1px solid #fff;
        color: #000;
        transition: all .3s;
    }
    .footer .footer-content .links ul a
    {
        display: block;
        margin-bottom: 10px;
        font-size: 1.2em;
    }
    .footer .footer-content .links ul a: hover
    {
        color: #fff;
        margin-left: 15px;
        transition: all .3s;
    }
    .footer .footer-content .contact-form .contact-input {
        background: #272727;
        color: #bebdbd;
        margin-bottom: 10px;
        line-height: 1.5rem;
        padding: .9rem 1.4rem;
        border: none;
    }
    .footer .footer-content .contact-form .contact-input: focus
    {
        background: #1a1a1a;
    }

```

- **QR Code:-HTML & CSS Coding**

```

<style>
body{
    font-family: Arial,Helvetica, sans-serif;
}
* {box-sizing: border-box;}
.open-button {
    background-color: blue;
    color: white;
    padding: 16px 20px;
    border: none;
    cursor: pointer;

```

```

    opacity: 0.8;
    position: fixed;
    bottom: 23px;
    right: 28px;
    width: 62px;
    border-radius: 70px;
}
.form-popup {
    display: none;
    position: fixed;
    bottom: 0;
    right: 15px;
    border: 3px solid #f1f1f1;
    z-index: 9;
}
.form-container {
    max-width: 300px;
    padding: 10px;
    background-color: white;
}
.form-container input[type=text], .form-container input[type=password] {
    width: 100%;
    padding: 15px;
    margin: 5px 0 22px 0;
    border: none;
    background: #f1f1f1;
}
.form-container input[type=text]:focus, .form-container input[type=password]:focus {
    background-color: #ddd;
    outline: none;
}
.form-container .btn {
    background-color: #4CAF50;
    color: white;
    padding: 16px 20px;
    border: none;
    cursor: pointer;
    width: 100%;
    margin-bottom: 10px;
    opacity: 0.8;
}

```

[illegible]

- **1st Event :- Coding**

56


```

        width: 80%;
        height: 100%;
        float: left;
        padding: 40px;
        box-sizing: border-box;
    }
    section .leftbox .content
    {
        color: #fff;
        background: rgba(0,0,0,.5);
        padding: 40px;
        transition: .5s
    }
    section .leftbox .content:hover
    {
        background: #ff4d4d; <!.coments>
    }
    section .leftbox .content h1
    {
        margin: 0;
        padding: 0;
        font-size: 30px;
        text-transform: uppercase;
    }
    section .leftbox .content p
    {
        margin: 10px 0 0;
        padding: 0;
    }
    .section .Events
    {
        position: relative;
        width: 50%;
        height: 100%;
        background: rgba(0,0,0,.5);
    }
    section .Events ul /*News box*/
    {

```



```

        position: absolute;
        transform: translateY(-50%);
        margin-top: 250px;
        padding: 50px;
        box-sizing: border-box;
    }
    section .Events ul li
    {
        list-style: none;
        background: #fff;
        box-sizing: border-box;
        height: 150px; /*news box height*/
    }
    section .Events ul li .time
    {
        position: relative;
        padding: 5px;
        background: #262626;
        box-sizing: border-box;
        width: 20%; /*date box*/
        height: 100%;
        float: left;
        text-align: center;
        transition: .5s;
    }
    section .Events ul li: hover .time
    {
        background: #ff4d4d; /* image backgroud*/
    }
    section .Events ul li .time h2
    {
        position: absolute;
        margin: 0;
        padding: 0;
        top: 20%;
        left: 30%;
        transform: translate(-50,-50%);
        color: #fff;
        font-size: 30px;
    }

```

```

        line-height: 30px;
    }
    section .Events ul li .time h2 span
    {
        font-size: 30px;
    }
    section .Events ul li .details
    {
        padding: 20px;
        background: #fff;
        box-sizing: border-box;
        width: 100%;
        height: 100%;
        float: left;
    }
    section .Events ul li .details h3
    {
        position: relative;
        margin: 0;
        padding: 0;
        font-size: 22px;
    }
    section .Events ul li .details p
    {
        position: relative;
        margin: 10px 0 0;
        padding: 0;
        font-size: 16px;
    }
    section .Events ul li .details a
    {
        display: inline-block;
        text-decoration: none;
        text-transform: uppercase;
        padding: 10px 15px;
        border: 2px solid #262626;
        margin-top: 15px;
        font-size: 18px;
        transition: .5s;
    }

```

```

}
section .Events ul li .details a:hover
{
    background: #ff4d4d;
    color: #fff;
    border-color: #e91e63;
}

```

- **ORGAN DONATION STATES**

- **1. Maharashtra Donation Centre**

Introduction Title:- Coding

```

<!-------Introduction----->
<div style="margin: 30px 30px -290px ;color: #555;" class="Introduction-content">
    <h2>Maharashtra Dontion Centers</h2>

```

- **Select State:- Coding**

```

<style>
.dropbtn {
    background-color: #1aa3ff;
    color: white;
    padding: 10px;
    font-size: 20px;
    border: none;
    cursor: pointer;
    border-radius: 5px;
    color: #000;
    width: 100%;
}
.dropbtn:hover, .dropbtn:focus {
    background-color: #1aa3f0;
}
.dropdown {
    position: relative;
    display: inline-block;
    top: 20px;
    overflow-x: auto;
    height: 155px;
}
.dropdown-content {
    display: none;
    position: absolute;

```

[illegible]

```

filter = input.value.toUpperCase();
div = document.getElementById("myDropdown");
a = div.getElementsByTagName("a");
for (i = 0; i < a.length; i++) {
    txtValue = a[i].textContent || a[i].innerText;
    if (txtValue.toUpperCase().indexOf(filter) > -1) {
        a[i].style.display = "";
    } else {
        a[i].style.display = "none";
    }
}
}
</script></div>

```

• Bar Graph of states page:-HTML Coding

```

<!-----Graph Bar----->
<link rel="stylesheet" type="text/css" href="bargraph.css">
<div class="center" style="top: 78%;">
    <h1>Maharashtra</h1>
    <div class="organ">
        <p>Kidney</p>
        <p>80%</p>
        <div class="skill">
            <div class="skill_level" style="width: 80%;"></div>
        </div>
    </div>
    <div class="organ">
        <p>Heart</p>
        <p>55%</p>
        <div class="skill">
            <div class="skill_level" style="width: 55%;"></div>
        </div>
    </div>
    <div class="organ">
        <p>Lungs</p>
        <p>70%</p>
        <div class="skill">
            <div class="skill_level" style="width: 70%;"></div>
        </div>
    </div>
    <div class="organ">
        <p>Liver</p>

```

```

<p>30%</p>
<div class="skill">
  <div class="skill_level" style="width: 30%;"></div>
</div>
</div>
<div class="organ">
  <p>Eyes</p>
  <p>60%</p>
  <div class="skill">
    <div class="skill_level" style="width: 60%;"></div>
  </div>
</div>
</div>

```

- **Bar Graph of states page:-CSS Coding**

```

body
{
  margin:0;
  padding:0;
  font-family: sans-serif;
}
.center
{
  position: absolute;
  left: 11%;
  transform: translate(-50%,-50%);
  padding: 15px;
  background: #fff;
  box-sizing: border-box;
  box-shadow: 0 5px 10px rgba(0,0,0,.5);
  line-height: 13px;
}
h1
{
  margin:0;
  padding:0;
  color:#000;
  letter-spacing: 0px;
}
.organ

```

```

{
    box-sizing: border-box;
    width:100%;
    margin: 20px 0;
    font-size: 20px;
}
.organ p
{
    color: #000;
    text-transform: uppercase;
    margin:0 0px 5px;
    padding:0px;
    font-weight: bold;
    letter-spacing: px;
}

```

```

.organ p:nth-child(2)
{
    float: right;
    position: relative;
    top: -25px;
}

```

```

.skill
{
    background: #000;
    padding:1px;
    box-sizing: border-box;
    border: px solid #fff;
    border-radius:1px;
}

```

```

.skill_level
{
    background: #009de6;
    width:100%;
    height: 8px;
}

```

- **Hospital 1:-HTML & CSS Coding**

```

<section class="content1">

```

```

<link                                                    rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css">
  <script src="https://code.jquery.com/jquery-3.4.1.slim.min.js"></script>
<script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"></script>
<script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"></script>
<style>
  .card_container
  {
    margin-top:150px;
    background-color:#f2f2f2;
    margin-left: 300px;
    margin-right: 50px;

    border: 1px solid grey;
  }
.col-md-7 h4
{
  color:#555;
}
.stars
{
  height:15px;
  margin-top: -30px;
}
.carousel-inner
{
  height: 250px;
}
</style>

<div class="card_container">
  <div class="row">
    <div class="col-md-5">
      <div id="carouselExampleControls" class="carousel slide" data-ride="carousel">
        <div class="carousel-inner">
          <div class="carousel-item active">
            

```



```

</div>
<div class="carousel-item">
  
</div>
<div class="carousel-item">
  
</div>
</div>
<a class="carousel-control-prev" href="#carouselExampleControls" role="button"
data-slide="prev">
  <span class="carousel-control-prev-icon" aria-hidden="true"></span>
  <span class="sr-only">Previous</span>
</a>
<a class="carousel-control-next" href="#carouselExampleControls" role="button"
data-slide="next">
  <span class="carousel-control-next-icon" aria-hidden="true"></span>
  <span class="sr-only">Next</span>
</a>
</div>
</div>

<div class="col-md-7">
  <h5 style="font-size:25px; ">Aditya Birla Memorial Hospital</h5>
  
  <iframe
src="https://www.google.com/maps/embed?pb=!1m14!1m8!1m3!1d15123.40883937
3471!2d73.774776!3d18.625716!3m2!1i1024!2i768!4f13.1!3m3!1m2!1s0x0%3A0xe
83013cd8eda1fc1!2sAditya%20Birla%20Memorial%20Hospital!5e0!3m2!1sen!2sin!
4v1577869286542!5m2!1sen!2sin" width="150" height="150" frameborder=""
allowfullscreen="" style="margin-top:-50px; margin-left:400px "></iframe>
  <P style="line-height:12px; margin-top:-100px; font-size:20px; "><b>Address:
</b> Pimpri-Chinchwad,Pune.</P>
  <p style="line-height:12px;font-size:20px; "><b> Speciality :</b> Heart,Kidney
Lungs.</p>
  <p style="line-height:12px;font-size:20px; "><b> Timing :</b> 7 AM - 11
PM</p>
  <p style="line-height:12px; font-size:20px;"><b> Contact Details :</b> 020 3071
7500</p>

```



```

    margin-top: -30px;
}
.carousel-inner1
{
    height: 250px;
}
</style>
<div class="card_container1">
    <div class="row">
        <div class="col-md-5">
            <div id="carouselExampleControls" class="carousel slide" data-ride="carousel">
                <div class="carousel-inner">
                    <div class="carousel-item active">
                        
                    </div>
                    <div class="carousel-item">
                        
                    </div>
                    <div class="carousel-item">
                        
                    </div>
                </div>
                <a class="carousel-control-prev" href="#carouselExampleControls" role="button"
data-slide="prev">
                    <span class="carousel-control-prev-icon" aria-hidden="true"></span>
                    <span class="sr-only">Previous</span>
                </a>
                <a class="carousel-control-next" href="#carouselExampleControls" role="button"
data-slide="next">
                    <span class="carousel-control-next-icon" aria-hidden="true"></span>
                    <span class="sr-only">Next</span>
                </a>
            </div>
        </div>
        <div class="col-md-7">
            <h5 style="font-size:25px; ">Center Point Hospital</h5>
            

```



```

<link                                                    rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css">
  <script src="https://code.jquery.com/jquery-3.4.1.slim.min.js"></script>
<script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"></script>
<script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"></script>
<style>
  .card_container
  {
    margin-top:150px;
    background-color:#f2f2f2;
    margin-left: 300px;
    margin-right: 50px;

    border: 1px solid grey;
  }
.col-md-7 h4
{
  color:#555;
}
.stars
{
  height:15px;
  margin-top: -30px;
}
.carousel-inner
{
  height: 250px;
}
</style>
<div class="card_container">
  <div class="row">
    <div class="col-md-5">
      <div id="carouselExampleControls" class="carousel slide" data-ride="carousel">
        <div class="carousel-inner">
          <div class="carousel-item active">
            
          </div>

```

```

<div class="carousel-item">
  
</div>
<div class="carousel-item">
  
</div>
</div>
<a class="carousel-control-prev" href="#carouselExampleControls" role="button"
data-slide="prev">
  <span class="carousel-control-prev-icon" aria-hidden="true"></span>
  <span class="sr-only">Previous</span>
</a>
<a class="carousel-control-next" href="#carouselExampleControls" role="button"
data-slide="next">
  <span class="carousel-control-next-icon" aria-hidden="true"></span>
  <span class="sr-only">Next</span>
</a>
</div>
</div>
<div class="col-md-7">
  <h5 style="font-size:25px; ">Apollo Gleneagles Hospital</h5>
  
  <iframe
src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d3684.11349276
34316!2d88.39922811495958!3d22.574858185181665!2m3!1f0!2f0!3f0!3m2!1i1024
!2i768!4f13.1!3m3!1m2!1s0x3a027610c51d0ae3%3A0x8b1403320baa41d4!2sApollo
%20Gleneagles%20Hospital!5e0!3m2!1sen!2sin!4v1578024424181!5m2!1sen!2sin"
width="150" height="150" frameborder="" allowfullscreen="" style="margin-top:-
50px; margin-left:400px "></iframe>
  <P style="line-height:12px; margin-top:-100px; font-size:20px; "><b>Address:
</b> Canal Circular Road,
Kolkata.
</P>
  <p style="line-height:12px;font-size:20px; "><b> Speciality :</b>
Kidney,Liver</p>
  <p style="line-height:12px;font-size:20px; "><b> Timing :</b> 24 Hours</p>
  <p style="line-height:12px; font-size:20px;"><b> Contact Details :</b> 91 33
2320 3040/2122</p>

```



```

}
.stars1
{
  height:15px;
  margin-top: -30px;
}
.carousel-inner1
{
  height: 250px;
}
</style>
<div class="card_container1">
  <div class="row">
    <div class="col-md-5">
      <div id="carouselExampleControls" class="carousel slide" data-ride="carousel">
        <div class="carousel-inner">
          <div class="carousel-item active">
            
          </div>
          <div class="carousel-item">
            
          </div>
          <div class="carousel-item">
            
          </div>
        </div>
        <a class="carousel-control-prev" href="#carouselExampleControls" role="button"
data-slide="prev">
          <span class="carousel-control-prev-icon" aria-hidden="true"></span>
          <span class="sr-only">Previous</span>
        </a>
        <a class="carousel-control-next" href="#carouselExampleControls" role="button"
data-slide="next">
          <span class="carousel-control-next-icon" aria-hidden="true"></span>
          <span class="sr-only">Next</span>
        </a>
      </div>
    </div>
  </div>
</div>

```


Belle Vue Hospital

<iframe

src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d3684.976787363692!2d88.35272461495903!3d22.542542285198206!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!3m3!1m2!1s0x3a02771160347adf%3A0xc50100ee3037b6b0!2sBelle%20Vue%20Clinic!5e0!3m2!1sen!2sin!4v1578026638381!5m2!1sen!2sin" width="150" height="150" frameborder="" allowfullscreen="" style="margin-top: 50px; margin-left: 400px "></iframe>

Address:
Elgin, Kolkata, West Bengal.

Speciality : Kidney

Timing : 24 Hours

Contact Details :
985767545

Website : [WWW.Bullevueclinic.com](https://www.bellevueclinic.com)

[illegible][illegible]

```
<a style="text-decoration: none;" href="https://www.bellevueclinic.com"><button
style="margin-top: 0px;" type="button" class="btn btn-primary"
name="click">Register</button></a>
```

❖ **Andhra Pradesh Donation Centre**

Andhra Pradesh Donation Center

❖ Hospital 1:-HTML & CSS Coding

<section class="content1">

<link

rel="stylesheet"

```
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css">
```

```

<script src="https://code.jquery.com/jquery-3.4.1.slim.min.js"></script>
<script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"></script>
<script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"></script>
<style>
  .card_container
  {
    margin-top:150px;
    background-color:#f2f2f2;
    margin-left: 300px;
    margin-right: 50px;

    border: 1px solid grey;
  }
  .col-md-7 h4
  {
    color:#555;
  }
  .stars
  {
    height:15px;
    margin-top: -30px;
  }
  .carousel-inner
  {
    height: 250px;
  }
</style>
<div class="card_container">
  <div class="row">
    <div class="col-md-5">
      <div id="carouselExampleControls" class="carousel slide" data-ride="carousel">
        <div class="carousel-inner">
          <div class="carousel-item active">
            
          </div>
          <div class="carousel-item">

```

```

    
  </div>
  <div class="carousel-item">
    
  </div>
</div>
<a class="carousel-control-prev" href="#carouselExampleControls" role="button"
data-slide="prev">
  <span class="carousel-control-prev-icon" aria-hidden="true"></span>
  <span class="sr-only">Previous</span>
</a>
<a class="carousel-control-next" href="#carouselExampleControls" role="button"
data-slide="next">
  <span class="carousel-control-next-icon" aria-hidden="true"></span>
  <span class="sr-only">Next</span>
</a>
</div>
</div>

<div class="col-md-7">
  <h5 style="font-size:25px; ">Care Hospital</h5>
  
  <iframe
src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d3891958.93753
0515!2d81.06424916250002!3d17.7096841!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f1
3.1!3m3!1m2!1s0x3a3943101823d3f5%3A0x8f6149999d853629!2sCARE%20Hospi
tals%20-
%20Maharanipeta%2C%20Visakhapatnam!5e0!3m2!1sen!2sin!4v1577803138890!5
m2!1sen!2sin" width="150" height="150" border="" style="margin-top:-50px; margin-
left:400px "></iframe>
  <P style="line-height:12px; margin-top:-100px; font-size:20px; "><b>Address:
</b> KGH Road,Vishakhapatnam</P>
  <p style="line-height:12px;font-size:20px; "><b> Speciality :</b>
Liver,Lungs,Cornea</p>
  <p style="line-height:12px;font-size:20px; "><b> Timing :</b> 24 Hours</p>
  <p style="line-height:12px; font-size:20px;"><b> Contact Details :</b>
9618180029</p>

```



```

}
.stars1
{
  height:15px;
  margin-top: -30px;
}
.carousel-inner1
{
  height: 250px;
}
</style>
<div class="card_container1">
  <div class="row">
    <div class="col-md-5">
      <div id="carouselExampleControls" class="carousel slide" data-ride="carousel">
        <div class="carousel-inner">
          <div class="carousel-item active">
            
          </div>
          <div class="carousel-item">
            
          </div>
          <div class="carousel-item">
            
          </div>
        </div>
        <a class="carousel-control-prev" href="#carouselExampleControls" role="button"
data-slide="prev">
          <span class="carousel-control-prev-icon" aria-hidden="true"></span>
          <span class="sr-only">Previous</span>
        </a>
        <a class="carousel-control-next" href="#carouselExampleControls" role="button"
data-slide="next">
          <span class="carousel-control-next-icon" aria-hidden="true"></span>
          <span class="sr-only">Next</span>
        </a>
      </div>
    </div>
  </div>
</div>

```


▪ Feedback Page

❖ Feedback Page:-HTML & CSS Coding

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <title>Feedback Form</title>
</head>
<body>
<style>
    @import url('https://fonts.googleapis.com/css?family=Roboto&display=swap');
    *{
        margin:0;
        padding:0;
        box-sizing: border-box;
        outline: none;
        font-family: 'Roboto', sans-serif;
    }
    body{
        background: url(img/bg.jpg) no-repeat;
    }
    .wrapper{
        position: absolute;
        top: 50%;
        transform: translateY(-50%);
        width: 100%;
        padding: 0 20px;
    }
    .contact-form{
        max-width: 550px;
        margin:0 auto;
        background:rgba(0,0,0,0.8);
        padding:30px;
        border-radius: 5px;
        display: flex;
        box-shadow: 0 0 10px rgba(0,0,0,0.13);
    }
    .input-fields{
        display: flex;
        flex-direction: column;
```

```

        margin-right: 4%;
    }
    .input-fields,
    .msg{
        width:48%;
    }
    .input-fields .input,
    .msg textarea{
        margin:10px 0;
        background: transparent;
        border:0;
        border-bottom: 2px solid #c5ecfd;
        padding:10px;
        color: #c5ecfd;
        width:100%;
    }
    .msg textarea{
        height:212px;
    }
    ::-webkit-input-placeholder{
        color: #c5ecfd;
    }
    ::-moz-input-placeholder{
        color: #c5ecfd;
    }
    ::-ms-input-placeholder{
        color: #c5ecfd;
    }
    .btn{
        background:#39b7dd;
        text-align: center;
        padding: 10px;
        border-radius: 5px;
        color: #fff;
        cursor: pointer;
        text-transform: uppercase;
        width: 100%;
    }
    h2{
        color: #fff;

```



```

}
@media screen and (max-width: 600px){
    .contact-form{
        flex-direction: column;
    }
    .msg textarea{
        height:80px;
    }
    .input-fields,
    .msg{
        width:100%;
    }
}
</style>
<form class="Feedback" action="Feedback.php" method="post">
<div class="wrapper">
    <div class="contact-form">
        <div class="input-fields">
            <h2>Feedback Form</h2>
            <input type="text" name="name" class="input"
placeholder="Name">
            <input type="text" name="email" class="input"
placeholder="Email Address">
            <input type="text" name="phone" class="input"
placeholder="Phone">
            <input type="text" name="subject" class="input"
placeholder="Subject">
        </div>
        <div class="msg">
            <textarea name="message" placeholder="Message"></textarea>
            <input type="submit" name="submit" class="btn" value="SEND">
        </div>
    </div>
</form>
</body>
</html>

```

- **Feedback Page:-Database Coding**

```
<?php
if(isset($_POST['submit'])){
    $name = $_POST['name'];
    $email = $_POST['email'];
    $phone = $_POST['phone'];
    $subject = $_POST['subject'];
    $message = $_POST['message'];

    $to = 'lifesaver0812@gmail.com';
    $sub = 'Form Submission';
    $msg = "Name: ".$name."\n"."Subject: ".$subject."\n"."\\n\\n".$message;
    $header = "From: ".$email;

    if(mail($to, $sub, $msg, $header)){
        echo "<h1>Sent Successfully! Thank You"." ".$name.",We will contact
you shortly!</h1>";
    }
    else
    {
        echo "Something went wrong!";
    }
}
?>
```

❖ **Blood Bank Centre Page**

Blood Bank Centre in Maharashtra: -HTML & CSS Coding

[illegible]

❖ Hospital 1 of Maharashtra:-HTML & CSS Coding

```
<!--Content 1-->
<section class="content1">
  <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css">
  <script src="https://code.jquery.com/jquery-3.4.1.slim.min.js"></script>
```

[illegible]


```
        border: 1px solid grey;
    }
.col-md-7 h4
{
    color:#555;
}
.stars
{
height:15px;
margin-top: -30px;
}
.carousel-inner
{
height: 250px;
}
</style>
<div class="card_container1">
    <div class="row">

        <div class="col-md-7">
            <h5 style="font-size:25px;">&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&~Life Line Blood Bank</h5>
                ~~~~~<br/>
                <img                                     style="line-height:15px;                               ">
src="img1/star4.png" class="stars">
                    <iiframe
src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d59543.773391821385!2d79.07573752990808!3d21.133055322637457!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!3m3!1m2!1s0x3bd4c090483bf79d%3A0x1b2f7911d6e6773d!2sLife%20Line%20Blood%20Bank!5e0!3m2!1sen!2sin!4v1578753545784!5m2!1sen!2sin" width="150" height="150" frameborder="" allowfullscreen="" style="margin-top:-50px; margin-left:510px "></iframe>
                        <p                                style="line-height:25px;                            margin-top:-100px;                                    font-size:20px;                              ">&nbsp;&nbsp;&nbsp;&nbsp;&~Address:                                   <b>Central                                  Bazar                                      Road,<br/>
&nbsp;&nbsp;&~Ramdaspath, Nagpur.<br/>
</P>
                            <p style="line-height:12px; font-size:20px;">&nbsp;&~Contact Details :<br/>
:<b> 9687565675</b></p>
```

[illegible]

Blood Bank Centre in West Bengal:-HTML & CSS Coding

❖ Hospital 1 of West Bengal:-HTML & CSS Coding

```
.col-md-7 h4
{
    color:#555;
}
.stars
{
    height:15px;
    margin-top: -30px;
}
.carousel-inner
{
    height: 250px;
}
</style>
<div class="card_container6">
    <div class="row">

        <div class="col-md-7">
            <h5 style="font-size:25px; ">&nbsp;&nbsp;&nbsp;&nbsp;&SSKM Hospital Blood Bank</h5>
                &nbsp;&nbsp;&nbsp;&nbsp;&
                    <iframe
src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d3685.0371882985605!2d88.34160321405828!3d22.540279639838637!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!3m3!1m2!1s0x3a02773ffc967cc3%3A0x3f3b2fbcb65680487!2sSSKM %20Hospital%20Blood%20Bank!5e0!3m2!1sen!2sin!4v1578761856078!5m2!1sen!2sin" width="150" height="150" frameborder="" allowfullscreen="" style="margin-top:-50px; margin-left:470px "></iframe>
                        <p style="line-height:25px; margin-top:-100px; font-size:20px;">&nbsp;&nbsp;&nbsp;&nbsp;&<b>Address:</b> Shikha Sarkar Rd, S.S.K.M.&nbsp;&nbsp;&nbsp;&nbsp;&Hospital, Bhowanipore, Kolkata, West&nbsp;&nbsp;&nbsp;&Bengal 700020</P>
                            <p style="line-height:12px;font-size:20px; "><b> &nbsp;&nbsp;&nbsp;&Website :</b>
                                <a style="text-decoration: none;" href="http://www.ipgmer.gov.in/">www.ipgmer.gov.in</a></p>
                                    <p style="line-height:12px; font-size:20px;">&nbsp;&nbsp;&~&nbsp;&~&~<b> Contact Details :</b> 7896565675</p>
```


[illegible]

Blood Bank Centre in Gujarat: -HTML & CSS Coding

[illegible]

❖ Hospital 1 of Gujarat :-HTML & CSS Coding

```
<!-- Content 10-->
<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css">
<script src="https://code.jquery.com/jquery-3.4.1.slim.min.js"></script>
<script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"></script>
<script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"></script>
<style>
    .card_container9
    {
        margin-top:30px;
        background-color:#f2f2f2;
        margin-left: 10px;
        margin-right: 660px;
        height: 220px;
        border-radius: 30px;

        border: 1px solid grey;
    }
.col-md-7 h4
{
    color:#555;
}
.stars
{
    height:15px;
    margin-top: -30px;
}
.carousel-inner
{

```

[illegible]

❖ Hospital 2 of Gujarat:-HTML & CSS Coding

```
<!------- Content 11----->
<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css">
<script src="https://code.jquery.com/jquery-3.4.1.slim.min.js"></script>
<script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"></script>
<script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"></script>
<style>
.card_container10
{
margin-top:-220px;
background-color:#f2f2f2;
margin-left: 700px;
margin-right: 10px;
height: 220px;
border-radius: 30px;

border: 1px solid grey;
}
.col-md-7 h4
{
color:#555;
}
.stars
{
height:15px;
margin-top: -30px;
}
.carousel-inner
{
height: 250px;
}
</style>
<div class="card_container10">
<div class="row">

<div class="col-md-7">
```



```

        padding: 0;
    }
    html{
        font-family: 'Roboto', sans-serif;
        font-size: 16px;
        box-sizing: border-box;
    }
    section{
        width: 100%;
        height: 185vh;
        background-color: #D5D8DC; /* background color of page */
        display: flex;
        align-items: center;
        justify-content: center;
    }
    .container{
        width: 100%;
        max-width: 10rem; /*all in center */
        margin: 0 auto; /*all in center */
        padding: 0 1.5rem;
    }
    .accordion-item{
        background-color: #AEB6BF; /*backgroundcolor of cotents*/
        border-radius: .4rem;
        margin-bottom: 1rem; /*divide in para's*/
        padding: 1rem;
        box-shadow: .5rem 2px .5rem rgba(0,0,0,.1);
    }
    .accordion-link{
        font-size: 2.3rem; /*font size */
        color:#000; /*Qus. font color */
        text-decoration: none;
        background-color: #;
        width: 100%;
        display: flex;
        align-items: center;
        justify-content: space-between;
        padding: 1rem 0;
    }

```

```

.accordion-link i{
    color: #e7d5ff;
    padding: .5rem;
}
.accordion-link .ion-md-remove{
    display: none;
}
.answer{
    max-height: 0;
    overflow: hidden; /* for hidding content */
    position: relative;
    background-color: #ffcce6;
    transition: max-height 650ms; /* toggling of answers */
}
.answer::before{
    content: "";
    position: absolute;
    width: .3rem;
    height: 10%;
    background-color: #8fc460; /* green color to answer */
    top: 50%;
    left: 0;
    transform: translateY(-50%);
}
.answer p{
    color:#000; /*color of answer */
    font-size: 2.2rem; /* font size of answer */
    padding: 2rem; /*paragraph sizing of answer */
}
.accordion-item:target .answer{
    max-height: 30rem;
}
.accordion-item:target .accordion-link .ion-md-add{
    display: none;
}
.accordion-item:target .accordion-link .ion-md-remove{
    display: block;
}
</style>
<section>

```

```

<div class="container" style="max-width: 100rem;">
  <div class="accordion">
    <div class="accordion-item" id="question1" style="background-
color: #AEB6BF;">
      <a class="accordion-link" href="#question1" style="font-
size: 1.6rem;background-color: #AEB6BF;">
        Who can be organ donors?
        <i class="icon ion-md-add"></i>
        <i class="icon ion-md-remove"></i>
      </a>
      <div class="answer" style="background-color:
#EAEDED;">
        <p style="font-size: 1.6rem;">
          Every adult can be an organ donor. (during
life and after death). Children can be organ donors (only after death and only with
consent of the parents).
        </p>
      </div>
    </div>
    <!-- 2nd -->
    <div class="accordion-item" id="question2"
style="background-color: #AEB6BF;">
      <a class="accordion-link" href="#question2" style="font-
size: 1.6rem;background-color: #AEB6BF;">
        How does organ donation help patients with organ
failure?
        <i class="icon ion-md-add"></i>
        <i class="icon ion-md-remove"></i>
      </a>
      <div class="answer" style="background-color:
#EAEDED;">
        <p style="font-size: 1.6rem;">For organ recipients,
a transplant often means a second chance at life. Vital organs such as the heart, pancreas,
liver, kidneys and lungs can be transplanted to those whose organs are failing. It allows
many recipients to return to a normal lifestyle. For others, a cornea or tissue transplant
means the ability to see again or the recovery of mobility and freedom from pain.
        </p>
      </div>
    </div>
    <!-- 3rd -->

```



```
<div class="accordion-item" id="question3" style="background-color: #AEB6BF;">
```

```
<a class="accordion-link" href="#question3" style="font-size: 1.6rem;background-color: #AEB6BF">
```

There are certain things that can keep me from being an organ donor such as age, illness or physical defects.

```
<i class="icon ion-md-add"></i>
```

```
<i class="icon ion-md-remove"></i>
```

```
</a>
```

```
<div class="answer" style="background-color: #EAEDED">
```

Each person's medical condition is evaluated at the time of their death to determine what organs and tissues are viable for donation. People living with chronic diseases or those who have a death. However, the presence of active cancer, active HIV, active infection (for example, sepsis) or Intravenous (IV) drug use would absolutely rule out donation. Patients who have Hepatitis C may still donate organs to a patient who also has Hepatitis C. The same is true for Hepatitis B — but this happens in very rare cases. Most cancer patients may donate corneas.</p>

```
</div>
```

```
</div>
```

```
<!-- 4th -->
```

```
<div class="accordion-item" id="question4" style="background-color: #AEB6BF">
```

```
<a class="accordion-link" href="#question4" style="font-size: 1.6rem;background-color: #AEB6BF">
```

If doctors know that I am registered to be an organ or tissue donor, they won't work as hard to save my life.

```
<i class="icon ion-md-add"></i>
```

```
<i class="icon ion-md-remove"></i>
```

```
</a>
```

```
<div class="answer" style="background-color: #EAEDED;">
```

The first priority of a medical professional is to save lives when sick or injured people come to the hospital. Organ and tissue donation isn't even considered or discussed until after death is declared. Typically, doctors and nurses involved in a person's care before death are not involved in the recovery or transplantation of donated corneas, organs or tissues.</p>

```
</div>
```

```


        </div>
    </div>
    <!-- 5th -->
    <div class="accordion-item" id="question5"
style="background-color: #AEB6BF;">
        <a class="accordion-link" href="#question5" style="font-
size: 1.6rem;background-color: #AEB6BF;">
            Myth: There are certain things that can keep me from
being an organ donor such as age, illness or physical defects.
            <i class="icon ion-md-add"></i>
            <i class="icon ion-md-remove"></i></a>
        <div class="answer" style="background-color: #EAEDED;">
            <p style="font-size: 1.6rem;">FACT: Each person's
medical condition is evaluated at the time of their death to determine what organs and
tissues are viable for donation. People living with chronic diseases or those who have a
history of cancer or other serious diseases are still encouraged to join the donor registry.
        </p></div></div>
    <div class="accordion-item" id="question6" style="background-color: #AEB6BF;">
        <a class="accordion-link" href="#question6" style="font-
size: 1.6rem;background-color: #AEB6BF;">
            Myth: If doctors know that I am registered to be an
organ or tissue donor, they won't work as hard to save my life.
            <i class="icon ion-md-add"></i>
            <i class="icon ion-md-remove"></i></a>
        <div class="answer" style="background-color: #EAEDED;">
            <p style="font-size: 1.6rem;">FACT: The first
priority of a medical professional is to save lives when sick or injured people come to
the hospital. Organ and tissue donation isn't even considered or discussed until after
death is declared. Typically, doctors and nurses involved in a person's care before death
are not involved in the recovery or transplantation of donated corneas, organs or tissues.
        </p>
    </div>
</div>
</section>

```

INPUT SCREEN AND OUTPUT **SCREEN**



Slider Page :-





Registration Page :-

The screenshot shows a web browser window with the address bar displaying 'localhost/project/register.php'. The page features a dark-themed registration form with the title 'Register Here'. The form contains the following fields and values:

- Name:** Prathamesh Durge
- Email:** prathameshdurge69@gmail.com
- Mobile no.:** 7391888665
- Username:** Prathamesh Durge
- Password:** (masked with dots)

Below the fields is a blue 'Register' button. At the bottom of the form, there is a link: 'Have an account? [Sign in](#)'.



Database of Registration


The screenshot shows a MySQL database interface. On the left, a tree view displays the database structure, with 'registerdb' selected. The main area shows the 'registertable' table with the following data:

ID	Name	Email	Mobile_no	Username	Password
1	ritik	ritikbarde02@gmail.com	9835535543	ritik_123	0812
2	ritik	ritikbarde2000@gmail.com	8756879687	ritik_0812	0812
3	ritik	ritikbarde02@gmail.com	8748584845	ritik123456	0812
4	Pratham	praturge69@gmail.com	7385065695	Pratham	0712
5	Prathamesh Durge	prathameshdurge69@gmail.com	7391888665	Prathamesh Durge	prathameshD69



Login Page

← → ↻ localhost/project/login.php 🔍 ☆ 🗑️ 🔄 🔑 R ⋮



The login form is a dark gray rectangular box centered on a blurred background of a modern office interior with people walking. The form contains the following elements:

- Title:** "Login Here" in white text.
- Username Field:** Labeled "Username" in blue, with the text "Prathamesh Durge" entered.
- Password Field:** Labeled "Password" in blue, with masked characters "....." and a cursor.
- Login Button:** A blue rounded button with the text "Login" in white.
- Reset Link:** A blue text link labeled "Reset password" below the login button.

❖ Main Page :-

Why become an organ donor?

One donor can save up to 8 lives

Transplants are up, but the need is still great

20 people die every day while awaiting transplants

More than 114,000 people on the transplant waiting list

Every 10 minutes, a new person is added to the national transplant waiting list.

Introduction

Life Saver is a not-for-profit, non-governmental organization started to promote organs donation in 1997 in Chennai by philanthropists and medical professionals led by Dr. Sundar Sivakoti. It is a registered NGO with Income Tax exemption Section 12C and 80G and has offices in Chennai, UP, Hyderabad, Delhi-NCR, Chandigarh, Raipur, Jaipur, Mumbai and USA. It was started by a group of like-minded and concerned medical & non-medical professionals committed to increasing a reach of the Transplantation of Human Organs Act. The Government of India passed this concerned medical & non-medical professionals committed to increasing a reach of the Transplantation of Human Organs Act. The Government of India passed this act in 1994 to broaden its concept of organ donation and stop commercial dealing in organs, especially kidneys. It is now possible to not only donate one's eyes, heart but also other vital organs like the heart, lungs, liver, pancreas and kidneys. Then its legislation called the Transplantation of Human Organ Act (THO) was passed in India in 1994 to streamline organ donation and transplantation activities. Broadly, the act accepted brain death as a form of death and made the sale of organs a punishable offence. With the acceptance of brain death, it became possible to not only undertake kidney transplantations but also start other solid organ transplants like liver, heart, lungs, and pancreas.

News and Updates

Declarator to Organ Donation in India

It is a country where 25,00,000 people need a new kidney every year and 1,00,000 need a replacement every 15 to 20 minutes for investigation. It was said that the government of India has declared a new organ donation organization that focuses on organ donation. It is a country where 25,00,000 people need a new kidney every year and 1,00,000 need a replacement every 15 to 20 minutes for investigation. It was said that the government of India has declared a new organ donation organization that focuses on organ donation. It is a country where 25,00,000 people need a new kidney every year and 1,00,000 need a replacement every 15 to 20 minutes for investigation. It was said that the government of India has declared a new organ donation organization that focuses on organ donation.

Life Saver

Life saver was started by a group of like-minded and concerned medical and non-medical professionals committed to increasing the reach of the Transplantation of Human Organs Act.

8772-87948

LifeSaver@hotmail.com

Quick Links

- Events
- Members
- Terms & Conditions
- Feedback
- Blood Donation

Contact us


Your Email Address

Your Message


Send

• Components of Main Page


▪ Header



▪ News And Videos



▪ Footer



- QR Code Scanning : -

News and Updates



Obstacles to Organ Donation in India

In a country where 200,000 people need a new kidney every year and 100,000 need a new liver, only 2% to 3% of the demand for new organs is met, says Sunil Shroff, managing trustee of the Mohan Foundation, a non-governmental organization that focuses on organ donation. Finding a donor match is difficult to begin with. In India, this challenge is compounded by bureaucratic hurdles and lack of awareness. [Read More....](#)




QR Code




Close

• Online Dashboard of Website : -



• Organ Donation Centers West Bengal : -



[Home](#)
[Events](#)
[Feedback](#)
[FAQs](#)
[Logout](#)

Maharashtra Dontion Centers


Select State..


Maharashtra

KIDNEY	80%
HEART	55%
LUNGS	70%
LIVER	30%
EYES	60%





Aditya Birla Memorial Hospital
★★★★★
Address: Pimpri-Chinchwad,Pune.
Speciality : Heart,Kidney Lungs.
Timing : 7 AM - 11 PM
Contact Details : 020 3071 7500
Website : WWW.adityabirlahospital.com
[Register](#)







Center Point Hospital
★★★★★
Address: Medical Sq,Nagpur.
Speciality : Cornea,Lungs,Heart.
Timing : 7 AM - 11 PM
Contact Details : 0712-45456
Website : WWW.centerpointhospital.in
[Register](#)







Apollo Hospital
★★★★★
Address: Panchvati,Nashik.
Speciality : Eyes,Kidney,Veins
Timing : 7 AM - 11 PM
Contact Details : 0253 2510 250
Website : WWW.apollohospitals.in
[Register](#)










Fortis Hospital Mulund
★★★★★
Address: Goregaon Link Road,Mumbai.
Speciality : Veins,Eyes,Kidneys
Timing : 7 AM - 11 PM
Contact Details : 67994123
Website : WWW.fortishospital.com
[Register](#)





Jupitar Hospital
★★★★★
Address: Eastern Express Highway,Thane.
Speciality : Lungs,Bone Marrow,Eyes.
Timing : 24 Hours Open
Contact Details : 21726666
Website : WWW.jupitarhospital.com
[Register](#)



Life Saver

Life saver was started by a group of like-minded and concerned medical and non-medical professionals committed to increasing the reach of the Transplantation of Human Organs Act.

☎ 0712-87645
✉ Lifesaver@hotmail.com



Quick Links

- Events
- Members
- Terms & Conditions
- Centers
- Galleries


Contact us

Your Email Address..


Your Message..

[Send](#)


• Hospital Location from Map :-



• Website of Hospital :-




• Organ Donation Centers West Bengal : -


[Home](#)
[Events](#)
[Feedback](#)
[FAQs](#)
[Logout](#)

West Bengal Dontion Centers


West Bengal


KIDNEY	45%
HEART	65%
LUNGS	70%
LIVER	95%
EYES	20%



Apollo Gleneagles Hospital
★★★★★
Address: Canal Circular Road, Kolkata.
Speciality : Kidney,Liver
Timing : 24 Hours
Contact Details : 91 33 2320 3040/2122
Website : WWW.Askapollo.com


[Register](#)






Belle Vue Hospital
★★★★★
Address: Elgin, Kolkata, West Bengal.
Speciality : Kidney
Timing : 24 Hours
Contact Details : 985767545
Website : WWW.Bullevueclinic.com


[Register](#)






Columbia Asia
★★★★★
Address: Bidhannagar, Kolkata, West Bengal.
Speciality : Kldney,Liver,Heart.
Timing : 24 Hours
Contact Details : 700091
Website : WWW.Columbiaasia.com


[Register](#)






Fortis Hospital
★★★★★
Address: Anandapur, Kolkata, West Bengal.
Speciality : Kidney,Liver.
Timing : 24 hours
Contact Details : 700107
Website : WWW.fortishealthcare.com


[Register](#)









Ruby General Hospital
★★★★★
Address: E. M. Bypass,Kolkata, West Bengal.
Speciality : Veins,Eye,Cornea
Timing : 24 Hours Open
Contact Details : 8787455632
Website : WWW.rubyhospital.com

[Register](#)







Life Saver

Life saver was started by a group of like-minded and concerned medical and non-medical professionals committed to increasing the reach of the Transplantation of Human Organs Act.

☎ 0712-87645
✉ Lifesaver@hotmail.com

Quick Links

- Events
- Members
- Terms & Conditions
- Centers
- Galleries


Contact us

Your Email Address..

Your Message..

[Send](#)


• Organ Donation Centers Andhra Pradesh :-


[Home](#) [Events](#) [Feedback](#) [FAQs](#) [Logout](#)

Andhra Pradesh Donation Center

Andhra Pradesh

KIDNEY	90%
HEART	50%
LUNGS	30%
LIVER	56%
EYES	50%





Care Hospital

★★★★★

Address: KGH Road,Vishakhapatnam
Speciality : Liver,Lungs,Cornea
Timing : 24 Hours
Contact Details : 9618180029
Website : WWW.carehospital.com

[Register](#)







Government General Hospital

★★★★★

Address: Railpet,Guntur
Speciality : Liver,Heart,Kidney.
Timing : 20 Hours
Contact Details : 9247824787
Website : WWW.Governmentgeneralhospital.in

[Register](#)







Ramesh Hospital

★★★★★

Address: Collector Office Road,Guntur.
Speciality : Lungs,Kidney,Eyes
Timing : 24 Hours
Contact Details : 0863 37777
Website : WWW.Rameshhospitals.in

[Register](#)







Aayush Hospital

★★★★★

Address: Vijaywada,Andhra Pradesh.
Speciality : Veins,Kidney,Liver
Timing : 24 Hours
Contact Details : 8498061152
Website : WWW.Aayushhospital.com

[Register](#)







Apollo Health City Hospital

★★★★★

Address: Vishakhapatnam,Andhra Pradesh.
Speciality : Bone Marrow,Kidney,Heart.
Timing : 24 Hours Open
Contact Details : 0891 2867777
Website : WWW.Askapollo.com

[Register](#)





Life Saver

Life saver was started by a group of like-minded and concerned medical and non-medical professionals committed to increasing the reach of the Transplantation of Human Organs Act.

☎ 0712-87645
 ✉ Lifesaver@hotmail.com




Quick Links

- [Events](#)
- [Members](#)
- [Terms & Conditions](#)
- [Centers](#)
- [Galleries](#)

Contact us

• Organ Donation Centers Gujarat :-



[Home](#)
[Events](#)
[Feedback](#)
[FAQs](#)
[Logout](#)

Gujarat Dention Centers

Select State..

Gujarat

KIDNEY	30%
HEART	87%
LUNGS	72%
LIVER	69%
EYES	10%



Care Institute Of Medical Sciences

★★★★★

Address: Sola, Ahmedabad.


Speciality : Heart


Timing : 18 Hours

Contact Details : 380060

Website : WWW.cims.com

[Register](#)





Sterling Hospital

★★★★★

Address: Memnagar, Ahmedabad, Gujarat.


Speciality : Liver,Heart,Kidney.


Timing : 24 Hours

Contact Details : 9267824787

Website : WWW.Sterlinghospital.com

[Register](#)





Bhailal Amin General Hospital

★★★★★

Address: Gorwa, Vadodara, Gujarat.


Speciality : Kidney


Timing : 24 Hours

Contact Details : 0863 456777

Website : WWW.baghospital.com

[Register](#)





Sal Hospital

★★★★★

Address: Thaltej, Ahmedabad, Gujarat.


Speciality : Kidney,Liver


Timing : 24 Hours

Contact Details : 8495758352

Website : WWW.Salhospital.com

[Register](#)





Gujarat Research & Medical Institute

★★★★★

Address: Hansol, Ahmedabad, Gujarat.


Speciality : Kidney,Heart.

Timing : 24 Hours Open

Contact Details : 2867777

Website : WWW.Gujaratreshospital.org

[Register](#)



Life Saver

Life saver was started by a group of like-minded and concerned medical and non-medical professionals committed to increasing the reach of the Transplantation of Human Organs Act.

☎ 0712-87645

✉ Lifesaver@hotmail.com






Quick Links

- Events
- Members
- Terms & Conditions
- Centers
- Galleries


Contact us

[Send](#)

Localhost/ProjectFolder/Index#

© Lifesaver in | Designed by Rish & Prathamesh


• Organ Donation Centers Karnataka : -


[Home](#)
[Events](#)
[Feedback](#)
[FAQs](#)
[Logout](#)


Karnataka Dontion Centers


Karnataka

KIDNEY	30%
HEART	87%
LUNGS	72%
LIVER	69%
EYES	10%





BGL Global Hospital
★★★★★
Address: Kengeri, Bangalore
Speciality : Heart,Lungs
Timing : 24 Hours
Contact Details : 080 2625 5555
Website : WWW.globalhospitalsindia.com


[Register](#)





Aster CMI Hospital
★★★★★
Address: Hebbal Bengaluru
Speciality : Liver,Heart.
Timing : 24 Hours
Contact Details : 080-43420100
Website : WWW.asterbangalore.com


[Register](#)





Command Hospital
★★★★★
Address: Agram,Bangalore.
Speciality : Kidney,Heart.
Timing : 24 Hours
Contact Details : 080 25369030
Website : -


[Register](#)








K S Hedge Hospital
★★★★★
Address: Deralakatte, Mangalore.
Speciality : Heart,Kidney.
Timing : 24 Hours
Contact Details : 0824-2204471
Website : WWW.kshegdehospital.com


[Register](#)



Mallya Hospital
★★★★★
Address: Vittal Mallya Road, Bangalore
Speciality : Kidney,Eyes.
Timing : 24 Hours
Contact Details : 22277997
Website : www.mallyahospital.net


[Register](#)

Life Saver

Life saver was started by a group of like-minded and concerned medical and non-medical professionals committed to increasing the reach of the Transplantation of Human Organs Act.

☎ 0712-87645
✉ Lifesaver@hotmail.com






Quick Links

- Events
- Members
- Terms & Conditions
- Centers
- Galleries


Contact us

[Send](#)

localhost/project/state5.html#

© Lifesaver an : Designed by Ratik & Parhamanah

● Organ Donation Centers Rajasthan : -






[Home](#)
[Events](#)
[Feedback](#)
[FAQs](#)
[Logout](#)


Rajasthan Dontion Centers

Select State..

Rajasthan

KIDNEY	80%
HEART	55%
LUNGS	70%
LIVER	30%
EYES	60%









Eternal Multispecialty Hospital
★★★★★

Address: Jaipur, Rajasthan
Speciality : Heart
Timing : 20 Hours
Contact Details : 9845345675
Website : WWW.eternalhospital.com


[Register](#)



Narayana Multispecialty Hospital
★★★★★

Address: Pratap Nagar, Jaipur, Rajasthan
Speciality : Heart, Kidney.
Timing : 24 Hours
Contact Details : 9567865456
Website : WWW.narayanahealth.org


[Register](#)



Astha Kidney Hospital
★★★★★

Address: Sukhadia Nagar, Rajasthan.
Speciality : Kidney
Timing : 24 Hours
Contact Details : 8464935432
Website : -


[Register](#)



Apex Hospital
★★★★★

Address: Malviya Nagar, Jaipur.
Speciality : Liver, Heart
Timing : 24 Hours
Contact Details : 9866568765
Website : WWW.apexhospitals.com

[Register](#)



Monilek Hospital
★★★★★

Address: Monilek Marg, Rajasthan
Speciality : Lungs, Liver
Timing : 24 Hours
Contact Details : 9384349934
Website : WWW.monilekhospital.com

[Register](#)

Life Saver

Life saver was started by a group of like-minded and concerned medical and non-medical professionals committed to increasing the reach of the Transplantation of Human Organs Act.

☎ 0712-87645
✉ Lifesaver@hotmail.com



Quick Links

- Events
- Members
- Terms & Conditions
- Centers
- Galleries


Contact us

Your Email Address..

Your Message..

Send

● Organ Donation Centers Madhya Pradesh : -



[Home](#)
[Events](#)
[Feedback](#)
[FAQs](#)
[Logout](#)

Madhya Pradesh Dontion Centers

Select State..


Madhya Pradesh


KIDNEY	80%
HEART	55%
LUNGS	70%
LIVER	30%
EYES	60%



Apollo Rajshree Hospital
★★★★★
Address: Vijay Nagar, Indore
Speciality : Heart
Timing : 24 Hours
Contact Details : 7845123675
Website : WWW.apollohospitals.com


[Register](#)






Bansal Hospital
★★★★★
Address: Shahpura, Bhopal.
Speciality : Heart,Eyes.
Timing : 24 Hours
Contact Details : 7567865456
Website : WWW.bansalhospitals.com


[Register](#)






CHL-Hospitals
★★★★★
Address: Near L.I.G Square,Indore
Speciality : Liver
Timing : 24 Hours
Contact Details : 2547676
Website : www.chlhospitals.com


[Register](#)






Chirayu Medical College & Hospital
★★★★★
Address: Near Bairagarh,Bhopal.
Speciality : Heart
Timing : 24 Hours
Contact Details :2709103
Website : WWW.cmchbhopal.com


[Register](#)









Choithram Hospital
★★★★★
Address: Manik Bagh,Indore
Speciality : Pancreas
Timing : 24 Hours
Contact Details :4206750
Website : WWW.choithram.org

[Register](#)



Life Saver
Life saver was started by a group of like-minded and concerned medical and non-medical professionals committed to increasing the reach of the Transplantation of Human Organs Act.

☎ 0712-87645
✉ Lifesaver@hotmail.com

[f](#) [i](#) [t](#) [in](#)

Quick Links

- Events
- Members
- Terms & Conditions
- Centers
- Galleries

Contact us


Your Email Address..

Your Message..


[Send](#)

© Lifesaver.in | Designed by: Bink & Pathanahadi


• Blood Bank Centers in India :-


[Home](#)
[States](#)
[Feedback](#)
[Events](#)
[FAQs](#)
[Logout](#)


Blood Bank Centers In Maharashtra




Jeevan Jyoti Blood Bank
★★★★★
Address: Near Mate Square, 8 Rasta Chowk, Madhav Nagar, Nagpur
Contact Details : 9823645675




Life Line Blood Bank
★★★★★
Address: Central Bazar Road, Ramdaspath, Nagpur.
Contact Details : 9687565675




Vishweshwar Blood Bank
★★★★★
Address: A Padmashree Building, Near Dr D Y Patil Medical College Pimpri Colony Pimpri-Chinchwad, Pune, Maharashtra
Contact Details : 9687565675



Navi Mumbai Blood Bank
★★★★★
Address: Plot No. C-87, Near Kharghar Cha Raja Ganesh Temple, Sector 12, Kharghar, Navi Mumbai, Maharashtra
Contact Details : 7896565675




Ayush Blood Bank
★★★★★
Address: Congress Nagar, Ajni, Nagpur, Maharashtra 440012
Contact Details : 7896565675




Dr. Hedgewar Blood Bank
★★★★★
Address: 1st Floor Sahyadri Shopping Centre VIP Road, Old Employment Chowk, Sidheshwar Peth, Solapur, Maharashtra 413002
Contact Details : 7896565675


Blood Bank Centers In West Bengal



SSKM Hospital Blood Bank
★★★★★
Address: Shikha Sarkar Rd, S.S.K.M. Hospital, Bhowanipore, Kolkata, West Bengal 700020
Website : www.ipgmer.gov.in
Contact Details : 7896565675




Life Care Blood Bank
★★★★★
Address: 204/18, Linton St, Beniapur, Kolkata, West Bengal 700014
Contact Details : 7896565675




People's Blood Bank
★★★★★
Address: Ashutosh College, Shyama Prasad Mukherjee Rd, near, Lake Market, Bhowanipore, Kolkata, West Bengal 700025
Contact Details : 9896565675


Blood Bank Centers In Gujarat



Rajkot Voluntary Blood Bank
★★★★★
Address: Smt. Sushilaben Ramniklal Mehta Bhavan, 24, Gujarat 360002
Contact Details : 7896565675




savior voluntary blood bank
★★★★★
Address: patelvadi road,surat, near lal darwaja, Gujarat 395004
Contact Details : 7796565675
Website : www.saviorblood.in




White Cross Blood Bank
★★★★★
Address: St Work Shop, kandhari Building, Patia Circle, Opp, Naroda Rd, Patiya, Kuber Nagar, Ahmedabad, Gujarat 382345
Contact Details : 7772565675


Blood Bank Centers In Andhra Pradesh



Palnadu Blood Bank
★★★★★
Address: chilakaluripet road opp:mahatma gandhi hospital, upstare:lakshmi hospital, Narasaraopeta, Andhra Pradesh
Contact Details : 7772565675




BLOOD 2 LIVE
★★★★★
Address: 1st Floor, Upstair, C.R.I Subba reddy complex, Vijaya Durga Colony Rd, Near built up, Kadapa, Andhra Pradesh 516001
Contact Details : 7771565675




Vijaya Sri Blood Bank
★★★★★
Address: 29-19-27 opp :andhra bank &HDFC bank ATMS, Dornakal Rd, Suryaraopeta, Andhra Pradesh 520002
Contact Details : 7771565675
Website : www.vijaya-sri-blood-bank.in


Blood Bank Centers In Rajasthan



Lokmitra Blood Bank
★★★★★
Address: Business Center, Madhuban, near Police Choki, Udaipur, Rajasthan 313001
Contact Details : 7770565675



Swasthya Kalyan Blood Bank
★★★★★
Address: 125, Tonk Road, Near Government Jaipuria Hospital, Milap Nagar, Jaipur, Rajasthan 302018
Contact Details : 7770865675
Website : www.swasthyakalyan.org.in



India Help Hub
★★★★★
Address: 35/14 Krishna Complex, Sector 28 Pratap Nagar, Jaipur, Rajasthan 302033
Contact Details : 7770867675

• Feedback Section: -

← → ↻ lifesaver23.000webhostapp.com/Feedback.html ☆ [Extensions] [Profile]

Feedback Form

Website is very informative . Kindly increase User interface .

Prathamesh Durge

prathameshdurge69@gmail.com

7412358478

Subject

SEND

Powered by 000webhost

← → ↻ mail.google.com/mail/u/1/#inbox/FMfcgwxGDNPWDtzcdbjMHoxRmNfTBqCY ☆ [Extensions] [Profile]

Compose

Search mail

1 of 8

Form Submission Inbox X

prathameshdurge69@gmail.com
Name: prathamesh Subject: Report Website is informative
10:32 AM (1 hour ago)


prathameshdurge69@gmail.com via us-imm-node1a.000webhost.io
to me
12:05 PM (0 minutes ago)

Name: Prathamesh Durge
Subject:

Website is very informative . Kindly increase User interface .

Reply Forward

• FAQ Section: -



• Contact Us Section: -

Life Saver

Life saver was started by a group of like-minded and concerned medical and non-medical professionals committed to increasing the reach of the Transplantation of Human Organs Act.

☎ 0712-87645
✉ Lifesaver@hotmail.com

Quick Links

- Events
- Members
- Terms & Conditions
- Feedback
- Blood Donation

Contact us

prathameshdurge69@gmail

I have some queries related to your website .

Send

© Lifesaver.in | Designed by Ritik Bards & Prathamesh Durge

• Database : -

```
SELECT * FROM `contactustable`
```

☐ Profiling [Edit inline] [Edit] [Explain SQL]

☐ Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

+ Options

	ID	email	message
<input type="checkbox"/> Edit Copy Delete	2	prathameshdurge69@gmail	I have some queries related to your website .
<input type="checkbox"/> Edit Copy Delete	3	ritikbarde20@gmail.c	Website has some bugs.

☐ Check all
 With selected: Edit Copy Delete Export

• Logout Section : -

Events

States

Feedback

Blood bank Centers

FAQs

Logout

TESTING AND VALIDATION

❖ TESTING :-

Testing is a vital to success of system. System testing makes a logical assumption that if all the parts of system are correct . the goal will be sucessfully achieved .Inadequate testing or nontesting leads to error that may not appear.

This create two problems :-

- The time lag between the cause and the appearance of the problem (the longer the time interval, the more complicated the problems has become)
- The effect of system error on files and record within the system. A small system error can conceivably explode into much larger problem.

Effective testing early in the process translates directly into long term cost saving from a reduced number of errors. The best program is worthless if it does not meet user needs.



TYPES OF TESTING :-

- **Unit Testing :-**

Testing of an individual software component or module is termed as Unit Testing. It is typically done by the programmer and not by testers, as it requires detailed knowledge of the internal program design and code. It may also require developing test driver modules or test harnesses.

- **Alpha Testing :-**

It is the most common type of testing used in the Software industry. The objective of this testing is to identify all possible issues or defects before releasing it into the market or to the user. Alpha Testing is carried out at the end of the software development phase but before the Beta Testing. Still, minor design changes may be made as a result of such testing. Alpha Testing is conducted at the developer's site. In-house virtual user environment can be created for this type of testing.

- **Beta Testing :-**

Beta Testing is a formal type of Software Testing which is carried out by the customer. It is performed in the Real Environment before releasing the product to the market for the actual end-users. Beta Testing is carried out to ensure that there

are no major failures in the software or product and it satisfies the business requirements from an end-user perspective. Beta Testing is successful when the customer accepts the software.

- **Regression Testing :-**

Testing an application as a whole for the modification in any module or functionality is termed as Regression Testing. It is difficult to cover all the system in Regression Testing, so typically Automation Testing Tools are used for these types of testing.

- **Back-end Testing :-**

Whenever an input or data is entered on front-end application, it stores in the database and the testing of such database is known as Database Testing or Backend Testing. There are different databases like SQL Server, MySQL, and Oracle, etc. Database Testing involves testing of table structure, schema, stored procedure, data structure and so on. In Back-end Testing GUI is not involved, testers are directly connected to the database with proper access and testers can easily verify data by running a few queries on the database.

- **End-to-End Testing :-**

Similar to system testing, End-to-End Testing involves testing of a complete application environment in a situation that mimics

real-world use, such as interacting with a database, using network communications, or interacting with other hardware, applications, or systems if appropriate.

- **White Box Testing :-**

White Box Testing is based on the knowledge about the internal logic of an application's code. It is also known as Glass box Testing. Internal software and code working should be known for performing this type of testing. Under these tests are based on the coverage of code statements, branches, paths, conditions, etc.

- **Black Box Testing :-**

Internal system design is not considered in this type of testing. Tests are based on the requirements and functionality. Detailed information about the advantages, disadvantages, and types of Black box Testing can be seen here.

❖ VALIDATION

- System Validation is a set of actions used to check the compliance of any element (a system element, a system, a document, a service, a task, a system requirement, etc.) with its purpose and functions.
- These actions are planned and carried out throughout the life cycle of the system. The validation process is performed in parallel with the system definition and system realization processes and applies to any activity and product resulting from this activity.
- The validation process is not limited to a phase at the end of system development, but generally occurs at the end of a set of life cycle tasks or activities, and always at the end of each milestone of a development project.
- Validation is a generic term that needs to be instantiated within the context it occurs. When understood as a process, validation is a transverse activity to every life cycle stage of the system. Particularly during the development cycle of the system, the validation process is performed in parallel with the system definition and system realization processes and applies to any activity and product resulting from this activity.

Register Here

Name

Prathamesh Durge

Email

prathameshdurge69@gmail.com

Mobile no.

74125874128

user must write 10 digits

Username

Prathamesh Durge

Password

.....

Register

Have an account? [Sign in](#)

Register Here

Name

122

Only character are allowed

Email

ritikbarde02@gmail.comm

. Invalid Position

Mobile no.

4565676787

Username

ritik0912

Password

.....

Register

Have an account? [Sign in](#)

Register Here

Name

Prathamesh Madhukar Durge

Email

prathameshdurge69@gmail.com

Mobile no.

7385657412

Username

Prathamesh Durge

Password

|



Please fill in this field.

register

Have an account? [Sign in](#)

Register Here

Name

ritik

Email

@ritikgmail.com

@ Invalid Position

Mobile no.

9897867656

Username

ritikbarde123

Password

.....

Register

Have an account? [Sign in](#)

SYSTEM SECURITY MEASURES

❖ SECURITY MEASURES

- System security refers to the technical innovation and procedures applied to the hardware and operating system to protect against deliberate or accidental damage from a defined threat.
- Data security is the protection of data from loss, disclosure, modification, and destruction .
- Privacy defines the rights of the user or organization to determine what information they are willing to share with or access from others and how the organization can be protected against unwelcome, unfair, or excessive dissemination of information about it .
- The controls are classified into three general categories :-
 - Database integrity through data validation techniques.
 - Control measure through password, encryption, and monitoring users on a regular basis.
 - Physical security from fire, flood, and other physical damage.

IMPLEMENTATION, EVALUATION AND
MAINTENANCE



IMPLELEMTATION

- Implementation is the carrying out, execution, or practice of a plan, a method, or any design, idea, model, specification, standard or policy for doing something. As such, implementation is the action that must follow any preliminary thinking in order for something to actually happen.
- In an information technology (IT) context, software or hardware implementation encompasses all the post-sale processes involved in something operating properly in its environment, including analyzing requirements, installation, configuration, customization, running, testing, systems integrations, user training, delivery and making necessary changes. The word "deployment" is sometimes used to mean the same thing.
- This project will resolve all the problems related to availability of hospital easily. By implementation of this project a person will gather all information related to organ donation, he/she can also get exact information of hospital of various states.

❖ EVALUATION

- Evaluation is a process that critically examines a program. It involves collection and analyzing information about a program activities, characteristics and outcomes. Its purpose is to make judgement about the program to improve its effectiveness and to improve programming decisions.
- The aim is to determine the relevance and level of achievement of project objectives, development effectiveness, efficiency, impact and sustainability. Evaluations also feed lessons learned into the decision-making process of the project stakeholders, including donors and national partners.
- **OBJECTIVES OF PROJECT EVALUATION :**
 - Assure quality of project
 - Analyses of project implementation
 - Analyses the impact or change
 - Identify project risk
 - Asses and enhance project performance
 - Analyses of cost of project
 - To Check compatibility of project

❖ MAINTENANCE

- Maintenance can be classified as corrective, adaptive, or perfective. Corrective maintenance means repairing processing or performance failure or making changes because of previously uncorrected problems or false assumption. Adaptive maintenance means changing the program function. Perfective maintenance means enhancing the performance or modifying the program to respond to user additional or changing needs.
- Maintenance covers wide range of activities including correcting coding and design error, update documentation and test data and upgrading users support. Many activities classified as maintenance are actual upgrading user support. Many activities classified as maintenance are actually enhancement.
- Maintenance means restoring something to its original condition. Unlike hardware, however software does not wear out it is corrected. Although software does not wear out like a piece of hardware, it eventually fails to perform because of cumulative maintenance.

FUTURE SCOPE

- In our website “ Life Saver ” we have cover only popular states of India such that Maharashtra, West Bengal, Gujarat etc. which are not enough for a person from villages of India , therefore in near future we add more number of organ donation centers of various states and villages .
- Website has a limitation that it is useful for Indians, in future we will add organ donation centers of outside India which will be helpful for people of other countries as well.
- We will regularly update event section and news section by adding events and news which takes place all over the world.
- In future we will add “ Eye Donation “ section so that it will helpful for people who wants to eyes or has problem related to eyes.
- We will increase user interface of a website so that it will be convenient for a person to access the website.
- We will increase compatibility of website , so that it can be accessible on smartphones as well.

SUGGESTION & CONCLUSION

- We created project “ Life saver ” because we wanted to know more about organ donation and we also want to create awareness about donating organ.
- We have designed this website using HTML and CSS, which is helpful to create an attractive website. Various tags has been used which will give attractive look to the website.
- Our website also has some pros and cons which we will update as per the feedback of users.
- Through our website used can directly get information of various organ donation states and he/she can also take appointment of doctor from our website through registered link.
- At time of emergency it is important to get correct location of any hospital, through our website a user can get exact location of hospitals.

BIBLIOGRAPHY & REFERENCES

- System Analysis and Design – Elias M. Awad
- [Www.google.com](http://www.google.com)
- [Www.w3school.com](http://www.w3school.com)
- [Www.bootstrap.com](http://www.bootstrap.com)
- [Www.fontawesome.com](http://www.fontawesome.com)
- [Www.googlefonts.com](http://www.googlefonts.com)
- [Www.wikipedia.com](http://www.wikipedia.com)
- [Www.youtube.com](http://www.youtube.com)

**A
PROJECT
ON**

“Life Saver”

Submitted to

**Rashtrasant Tukadoji Maharaj Nagpur University,
NAGPUR**

In the Partial Fulfillment of

B.Com. (Computer Application) Final Year

Submitted by

**Prathamesh Milind Durge
Ritik vijay Barde**

Under the Guidance of

Pravin J. Yadao



**G. S. College of Commerce & Economics
Nagpur
2019-2020**

1. Introduction:

It helps to donate body organs from various cities of hospitals. A donar can send requests for donation of organ to hospital through website. It will provide detail information about donar through registration. It will also provide information requested for organ. Donar has to provide prescription of doctor. It will provide nearby hospital which is available for donating organ. It will provide information about specialized hospitals to donate blood or organs. The needy person can request for blood through website.

2. Objectives of the project:

- 1.) Website is used for satisfying the person.
- 2.) It will provide organ and blood at very minimum price.
- 3.) It will reduce the distance of needy person and hospital.
- 4.) It will help to increase availability of blood and organs in hospital.

3. Project Category: Website

4. Tools/ Platform/ Languages to be used:

HTML ,CSS and PHP :- Notepad

My SQL :- Database

5. Scope of future application:

- 1) Increase availability of hospitals help to donate organs.
- 2) Increase reach of website by providing more number of hospitals in all over India.
- 3) Provide information of NGOs to donate blood or organs.
- 4) It also provide free of cost operations.
- 5) It provide 24 hours services.

Submitted by,

Approved by,

Prathamesh Milind Durge

Ritik Vijay Barde

Prof. Pravin Yadao

Project Guide

